



**FOR INFORMATION ONLY!**

**B-valve: Page 5**





B	GG-C	23-06-2025	Minor, mainly cosmetic changes
C	GG-C	26-02-2026	Changed some article numbers. Changed crossmembers.
REV.	BY	DATE	DESCRIPTION
TOLERANCES UNLESS OTHERWISE STATED:		COLOR:	SIZE: STATUS: <b>A2 Released</b>
PROJECT:			ART. NO.:
<b>Exploded views CF600 HD-C</b>			DIMENSIONS: MM [INCH]
DESCRIPTION:			MATERIAL: -
<b>Hydraulic Piston rod guidance; cylinder clamps; common rail; cylinders</b>			SCALE: 1:5 SHEET: 1/1
DRAWN: GG-C DR. DATE: 7-12-2021			APR. BY: HO APR. DATE: 26-02-2026
TREATMENT: NONE			CATEGORY:
DRAWING NUMBER: <b>EV60000-CF-222</b>			DEBURR SHARP EDGES WEIGHT: 603.69 KG
 Byte 14 NL-7741 MK Coevorden Phone : +31-524-593900 E-mail : info@cargo-floor.com			PROJECTION:
THIS DRAWING IS THE PROPERTY OF CARGO FLOOR B.V. AND MUST NOT BE COPIED OR REPRODUCED WITHOUT THEIR WRITTEN AUTHORITY (ISO 16016:2016)			

**FOR INFORMATION ONLY!**





D	GG-C	02-03-2026	Added missing art.no. 7156001.01 and corrected art.no. 7156002.1 to 7156002.01	
E	GG-C	10-03-2026	Added highspeed option with two filters and non-return valve	
REV.	BY	DATE	DESCRIPTION	
TOLERANCES UNLESS OTHERWISE STATED:			COLOR:	SIZE: STATUS:
				<b>A2 Released</b>
PROJECT:			ART. NO.:	
<b>Exploded views CF600 HD-C</b>			DIMENSIONS: MM [INCH]	
DESCRIPTION:			MATERIAL: -	
<b>Piping &amp; filter</b>			SCALE: 1:6 SHEET: 1/1	
DRAWN: GG-C			DR. DATE: 12-10-2012	
APR. BY: HO			APR. DATE: 10-03-2026	
CATEGORY:			TREATMENT: NONE	
DRAWING NUMBER:			CATEGORY:	
<b>EV60000-CF-223</b>			DRAWING NUMBER:	
DEBURR SHARP EDGES			WEIGHT: 613.66 KG	
 Byte 14 NL-7741 MK Coevorden Phone : +31-524-593900 E-mail : info@cargofloor.com				
PROJECTION: 				
THIS DRAWING IS THE PROPERTY OF CARGO FLOOR B.V. AND MUST NOT BE COPIED OR REPRODUCED WITHOUT THEIR WRITTEN AUTHORITY (ISO 16016:2016)				

# FOR INFORMATION ONLY!



B	GG-C	23-06-2025	Cosmetic changes	
C	GG-C	26-02-2026	Removed bushing (valve seat) art. 7071010	
REV.	BY	DATE	DESCRIPTION	
TOLERANCES UNLESS OTHERWISE STATED:			COLOR:	
			SIZE: <b>A3</b>	STATUS: <b>Released</b>
PROJECT:				ART. NO.:
<b>Exploded views CF600 HD-C</b>				DIMENSIONS: MM [INCH]
DESCRIPTION:				MATERIAL: -
<b>Cylinder</b>				SCALE: 1:5 SHEET: 1/1
				DRAWN: GG-C DR. DATE: 14-6-2022
				APR. BY: HO APR. DATE: 26-02-2026
				TREATMENT:
				CATEGORY:
				DRAWING NUMBER: <b>EV60000-CF-224</b>
PROJECTION:			DEBURR SHARP EDGES WEIGHT: 59.76 KG	
			Byte 14 NL-7741 MK Coevorden Phone : +31-524-593900 E-mail : info@cargo floor.com	
THIS DRAWING IS THE PROPERTY OF CARGO FLOOR B.V. AND MUST NOT BE COPIED OR REPRODUCED WITHOUT THEIR WRITTEN AUTHORITY (ISO 16016:2016)				



0	GG-C	26-02-2026	-						
REV.	BY	DATE	DESCRIPTION						
TOLERANCES UNLESS OTHERWISE STATED:				COLOR:	SIZE:	STATUS:	ART. NO.:		
					<b>A3</b>	<b>Released</b>	DIMENSIONS: MM [INCH]		
PROJECT:							MATERIAL:		
<b>Exploded views CF600 HD-C</b>							SCALE: 1:2.5 SHEET: 1/6		
DESCRIPTION:							DRAWN: GG-C DR. DATE: 8-11-2010		
<b>Control valve B-operation</b>							APR. BY: HO APR. DATE: 26-02-2026		
							TREATMENT:		
							CATEGORY:		
							DRAWING NUMBER:		
							<b>0024617</b>		
							DEBURR SHARP EDGES		WEIGHT: KG
 <b>CARGO FLOOR®</b> <small>HORIZONTAL LOADING / UNLOADING SYSTEM</small>							Byte 14 NL-7741 MK Coevorden Phone : +31-524-593900 E-mail : info@cargofloor.com		PROJECTION: 
THIS DRAWING IS THE PROPERTY OF CARGO FLOOR B.V. AND MUST NOT BE COPIED OR REPRODUCED WITHOUT THEIR WRITTEN AUTHORITY (ISO 16016:2016)									



ART. NO.	BENAMING	DESCRIPTION
4103054	Lock-pin (kunststof) voor montagestrip u-profiel framevoet vinger 12 gaten (12xM12)	Lock-pin (plastic) for assembly strip u-profile for moving cross member 12 holes (12xM12)
5153018	Klembeugel (3-voudig) CF600 HDC	Clamping plate (triple) CF600 HDC
5154010	Klembeugel cilinder (ø94mm)	Clamping plate for cylinder (ø94mm [3.7"])
5154011	Klembeugel cilinderstof (ø74mm)	Clamping plate for cylinder sleeve (ø74mm [2.91"])
5159002	Afstandsring rond 30 mm (omschakelventiel)	Distance ring round 30 mm [1.18"] (switching valve)
5160003	Cilinderstanggeleidingsset CF300/CF500/CF600 massieve uitvoering	Set guide blocks for 3 piston rods CF300/CF500/CF600, solid execution
5350011	Montagestrip (12 x M12/240 mm)	Assembly strip (12 x M12/240 mm [9.45"])
5355003	Draadstang 1.000 mm.	Threaded rod 1.000 mm. [39.4"]
6305009	Magneet + stift 24V Cargo Floor (GS02) (incl. rode noodbediening)	Cartridge + solenoid 24 V. Cargo Floor (GS02) (incl. red emergency control)
6305014	Magneet Cargo Floor G(+GS)02 24V	Solenoid Cargo Floor G(+GS)02 24V
7004125	Rechte inschroefkoppeling 1" x 25 mm	Straight screw-in coupling 1" x 25 mm [0.98"]
7004130	Rechte inschroefkoppeling 1" x 30 mm.	Straight screw-in coupling 1" x 30 mm [1.18"]
7071004	Volgorde cilinder klep	Poppet valve (sequence cylinder valve)
7071005	Veer voor volgorde cilinder klep (standaard, L.=45 mm)	Spring for sequence cylinder valve (standard, L.=45 mm [1.77"])
7071006	Inbus kraagplug 3/4 incl. dichting	Socket plug ¾" with O-ring
7071015	Terugslagklep CF-T25	Check valve CF-T25
7154007	Kunststof noodhandbediening GS02	Plastic emergency manual control GS02
7155079	Hydraulische leiding nr. 6 ø30 mm (besturingsventiel 02 / CF500 SLC HighSpeed /CF600 HDC)	Hydraulic pipe no. 6 ø30 mm [1.18"] (control valve 02 / CF500 SLC HighSpeed /CF600 HDC)
7156018	Hydraulische leiding nr. 1 (besturingsventiel 02/CF600)	Hydraulic pipe no. 1 (control valve 02/CF600)
7156019	Hydraulische leiding 4 (besturingsventiel 02/CF600)	Hydraulic pipe no. 4 (control valve 02/CF600)
7156056	Leiding 5 (besturingsventiel 02) - gedraaid filter (CF600 HDC)	Hydraulic pipe no. 5 (control valve 02), for turned filter (CF600 HDC)
7156082	Hydraulische leiding nr. 1 ø25x2 voor naar buiten gerichte HighSpeed-filters	Hydraulic pipe no. 1 ø25x2 [1x0,07"] for HighSpeed filters pointing outward
7156086	Hydraulische leiding nr. 2 ø25x2 voor naar buiten gerichte HighSpeed-filters	Hydraulic pipe no. 2 ø25x2 [1x0,07"] for HighSpeed filters pointing outward
7170037	Voorstuur omschakelplunjer L.= 306 mm. / D.= 16 mm	Pre-steering switching plunger L.= 306 mm. [12"] / D.= 16 mm. [0.6"]
7170039	Ombouwset besturingsventiel E->B inclusief arretering	Modification kit control valve E->B including detent
7170040	Deksel Bedienplunjer besturingsventiel 02	Head for operation plunger housing control valve 02
7170041	Ombouwset besturingsventiel B->E	Modification kit control valve B->E
7170043	Deksel Omschakelplunjer besturingsventiel 02	Cover for switching piston control valve 02
7170044	Deksel bedienplunjer besturingsventiel 02 (arretering)	Head for operation plunger housing control valve 02 (detent)
7171103	Bronzen bus (B-bediening) incl. afstrijker	Bronze bush (B-operation)
7177005	Plunjer omschakel L.= 146 mm / D.= 35 mm	Switching plunger L.=146 mm. [5.7"] / D.= 35 mm. [1.4"]
7177007	Koppelstang B-bediening ø16 (M10/M12)	Connection rod B-operation ø16 [0.6"] (M10/M12)
7317004	Plug G02 t.b.v. B-bediening	Plug G02 for B-control
7354005	Handvat (rubber)	Handle (rubber)
7371056	Hydraulische cilinder CF600 HDC-4.7 nr. 1 inclusief bevestigingsmateriaal	Hydraulic cylinder CF600 HDC-4.7 no. 1 with fasteningmaterials
7371057	Hydraulische cilinder CF600 HDC-4.7 nr. 2 inclusief bevestigingsmateriaal	Hydraulic cylinder CF600 HDC-4.7 no. 2 with fasteningmaterials
7371058	Hydraulische cilinder CF600 HDC-4.7 nr. 3 inclusief bevestigingsmateriaal	Hydraulic cylinder CF600 HDC-4.7 no. 3 with fasteningmaterials
7372011	CF persfilterelement QP (08/2020 - ...)	CF Pressure filter element QP (08/2020 - ...)
7372012	CF persfilterset compleet QP (08/2020 - ...)	CF Pressure filterset complete QP (08/2020 - ...)
7376009	Afdichtingset besturingsventiel 02	Seals for control valve 02
7376011	Afdichtingset cilinder (CF600)	Seals for cylinder (CF600)
7398007	Hendel oog (besturingsventiel 02)	Control handle eye (control valve 02)
7398008	Koker met S-arretering (besturingsventiel 02)	Tube with S-detent (control valve 02)
7677004	Bedienplunjer L.= 195 mm. / D.= 25 mm.	Operation plunger L.= 195 mm [7.68"] / D.= 25 mm [0.98"]
8370042	Besturingsventiel 02 B-bediening	Control valve 02 B-operation
7011252525	Stelbare L- kopp. 25x25x25mm	Adjustable L-coupling 25 x 25 x 25 mm [1x1x1"]
6305011.01	Stift Cargo Floor (GS02) (incl. rode noodbediening)	Cartridge Cargo Floor (GS02) (incl. red emergency control)
70171.4	Mininess plug (0-225 Bar)	Mininess plug (0-225 Bar) [3263 PSI]
70173/4.1	Kraagplug 3/4 (hol)	Plug 3/4 for valve spring (hollow)
70183/4.1	Bonded seal 3/4" (afgedraaid)	Bonded seal 3/4 (machined)
7154011.1	Zegeldop voor DB ventiel (rood)	Seal cap for pressure safety valve (red)
7154016.01	Inslagdop B-bediening 70x70mm (zwart)	Insert cap B-control 70x70mm [2.76"x2.76"] (black)
7156001.01	Hydraulische leiding nr. 2 (besturingsventiel 02)	Hydraulic pipe no. 2 (control valve 02)

7156002.01	Hydraulische leiding nr. 3 (besturingsventiel 02)	Hydraulic pipe no. 3 (control valve 02)
7157006.01	Common rail CF600 HDC-4.7	Common rail CF600 HDC-4.7
7370101.01	Drukstift drukbegrenzingsventiel incl. zegeldop (geel)	Pressure cartridge pressure control valve incl. seal cap (yellow)
7371051.1	Beschermkap besturingsventiel 02	Cover for control valve 02
7456003.01	Kunststof stift geel (2x) en kunststof bus rood (2x) voor 2 commando lippen = 1 systeem	Plastic lock pin yellow (2x) and plastic bush red (2x) for command lip = 1 system
	<p>Wijzigingen voorbehouden. Geldigheid prijslijst gedurende het aangegeven kalenderjaar, waarbij altijd de actuele prijs in het Cargo Floor B.V. computersysteem geldt, het is raadzaam vooraf de actuele prijs bij Cargo Floor B.V. te checken</p> <p>Prijzen: Bruto per stuk in EURO, excl. B.T.W.</p> <p>Levering: af werk, volgens onze standaard leverings- en betalingsvoorwaarden</p> <p>Betaling: netto, binnen 14 dagen na factuurdatum</p> <p style="text-align: right;">Wijzigingen voorbehouden.</p>	<p>All changes reserved. This pricelist is valid during the given calendar year, valid is always the latest price given by the Cargo Floor computer system, so we advice you to contact us beforehand to check the price.</p> <p>Prices: Gross each in EURO, excl. VAT</p> <p>Delivery: Ex Works, according to our standard terms of payment and delivery</p> <p>Payment: nett, due 14 days from date of invoice</p> <p style="text-align: right;">All changes reserved</p>
	www.cargofloor.com - info@cargofloor.com - 0031-524593900	