



FOR INFORMATION ONLY!

B-valve: Page 5





| | | | |
|--|------|------------|---|
| B | GG-C | 23-06-2025 | Minor, mainly cosmetic changes |
| C | GG-C | 26-02-2026 | Changed some article numbers. Changed crossmembers. |
| REV. | BY | DATE | DESCRIPTION |
| TOLERANCES UNLESS OTHERWISE STATED: | | COLOR: | SIZE: STATUS: A2 Released |
| PROJECT: | | | ART. NO.: |
| Exploded views CF600 HD-C | | | DIMENSIONS: MM [INCH] |
| DESCRIPTION: | | | MATERIAL: - |
| Hydraulic Piston rod guidance; cylinder clamps; common rail; cylinders | | | SCALE: 1:5 SHEET: 1/1 |
| DRAWN: GG-C DR. DATE: 7-12-2021 | | | APR. BY: HO APR. DATE: 26-02-2026 |
| TREATMENT: NONE | | | CATEGORY: |
| DRAWING NUMBER: EV60000-CF-222 | | | DEBURR SHARP EDGES WEIGHT: 603.69 KG |
| CARGO FLOOR HORIZONTAL LOADING-FORNEHMENSYSTEM | | | PROJECTION: |
| Byte 14 NL-7741 MK Coevorden Phone : +31-524-593900 E-mail : info@cargofloor.com | | | |
| THIS DRAWING IS THE PROPERTY OF CARGO FLOOR B.V. AND MUST NOT BE COPIED OR REPRODUCED WITHOUT THEIR WRITTEN AUTHORITY (ISO 16016:2016) | | | |

FOR INFORMATION ONLY!



| | | | | |
|--|------|------------|--|--------------------|
| D | GG-C | 02-03-2026 | Added missing art.no. 7156001.01 and corrected art.no. 7156002.1 to 7156002.01 | |
| E | GG-C | 10-03-2026 | Added highspeed option with two filters and non-return valve | |
| REV. | BY | DATE | DESCRIPTION | |
| TOLERANCES UNLESS OTHERWISE STATED: | | | COLOR: | SIZE: STATUS: |
| | | | | A2 Released |
| PROJECT: | | | ART. NO.: | |
| Exploded views CF600 HD-C | | | DIMENSIONS: MM [INCH] | |
| DESCRIPTION: | | | MATERIAL: - | |
| Piping & filter | | | SCALE: 1:6 SHEET: 1/1 | |
| DRAWING NUMBER: | | | DRAWN: GG-C DR. DATE: 12-10-2012 | |
| EV60000-CF-223 | | | APR. BY: HO APR. DATE: 10-03-2026 | |
| TREATMENT: NONE | | | CATEGORY: | |
| DEBURR SHARP EDGES | | | WEIGHT: 613.66 KG | |
| PROJECTION: | | | DRAWING NUMBER: | |
| | | | EV60000-CF-223 | |
| | | | Byte 14 NL-7741 MK Coevorden Phone : +31-524-593900 E-mail : info@cargo-floor.com | |
| THIS DRAWING IS THE PROPERTY OF CARGO FLOOR B.V. AND MUST NOT BE COPIED OR REPRODUCED WITHOUT THEIR WRITTEN AUTHORITY (ISO 16016:2016) | | | | |

FOR INFORMATION ONLY!





7376011

| | | | | |
|-------------------------------------|------|------------|---|-------------------------------------|
| B | GG-C | 23-06-2025 | Cosmetic changes | |
| C | GG-C | 26-02-2026 | Removed bushing (valve seat) art. 7071010 | |
| REV. | BY | DATE | DESCRIPTION | |
| TOLERANCES UNLESS OTHERWISE STATED: | | | COLOR: | |
| | | | SIZE: | STATUS: |
| | | | A3 | Released |
| PROJECT: | | | | ART. NO.: |
| Exploded views CF600 HD-C | | | | DIMENSIONS: MM [INCH] |
| DESCRIPTION: | | | | MATERIAL: - |
| Cylinder | | | | SCALE: 1:5 SHEET: 1/1 |
| | | | | DRAWN: GG-C DR. DATE: 14-6-2022 |
| | | | | APR. BY: HO APR. DATE: 26-02-2026 |
| | | | | TREATMENT: |
| | | | | CATEGORY: |
| | | | | DRAWING NUMBER: |
| | | | | EV60000-CF-224 |
| | | | PROJECTION: | DEBURR SHARP EDGES WEIGHT: 59.76 KG |
| | | | | |



Byte 14
 NL-7741 MK Coevorden
 Phone : +31-524-593900
 E-mail : info@cargo-floor.com

PROJECTION:



B -> E : 7170041
E -> B : 7170039

| | | | | | | | | | | |
|---|------|------------|-------------|--------|---|-----------------|---|--|--------------------|------------|
| 0 | GG-C | 26-02-2026 | - | | | | | | | |
| REV. | BY | DATE | DESCRIPTION | | | | | | | |
| TOLERANCES UNLESS OTHERWISE STATED: | | | | COLOR: | SIZE: | STATUS: | ART. NO.: | | | |
| | | | | | A3 | Released | DIMENSIONS: MM [INCH] | | | |
| PROJECT: | | | | | | | MATERIAL: | | | |
| Exploded views CF600 HD-C | | | | | | | SCALE: 1:2.5 SHEET: 1/6 | | | |
| DESCRIPTION: | | | | | | | DRAWN: GG-C DR. DATE: 8-11-2010 | | | |
| Control valve B-operation | | | | | | | APR. BY: HO APR. DATE: 26-02-2026 | | | |
| | | | | | | | TREATMENT: | | | |
| | | | | | | | CATEGORY: | | | |
| | | | | | | | DRAWING NUMBER: 0024617 | | | |
|  CARGO FLOOR® <small>HORIZONTAL LOADING / UNLOADING SYSTEM</small> | | | | | Byte 14 NL-7741 MK Coevorden Phone : +31-524-593900 E-mail : info@cargofloor.com | | PROJECTION:  | | DEBURR SHARP EDGES | WEIGHT: KG |
| | | | | | | | | | | |
| THIS DRAWING IS THE PROPERTY OF CARGO FLOOR B.V. AND MUST NOT BE COPIED OR REPRODUCED WITHOUT THEIR WRITTEN AUTHORITY (ISO 16016:2016) | | | | | | | | | | |

| ART. NO. | DESCRIPTION | BENENNUNG |
|------------|---|--|
| 4103054 | Lock-pin (plastic) for assembly strip u-profile for moving cross member 12 holes (12xM12) | Lock-pin (kunststoff) für Montagestreifen U-Profil für bewegende 12 Locher (12xM12) |
| 5153018 | Clamping plate (triple) CF600 HDC | Klemmplatte (3-fach) CF600 HDC |
| 5154010 | Clamping plate for cylinder (ø94mm [3.7"]) | Klemmplatte für Zylinder (ø94mm) |
| 5154011 | Clamping plate for cylinder sleeve (ø74mm [2.91"]) | Klemmplatte für Zylinderbuchse (ø74mm) |
| 5159002 | Distance ring round 30 mm [1.18"] (switching valve) | Distanzring rund 30 mm (Umschaltventil) |
| 5160003 | Set guide blocks for 3 piston rods CF300/CF500/CF600, solid execution | Satz Führungsblöcke für 3 Zylinderstange CF300/CF500/CF600, massive Ausführung |
| 5350011 | Assembly strip (12 x M12/240 mm [9.45"]) | Montagestreifen (12 x M12/240 mm) |
| 5355003 | Threaded rod 1.000 mm. [39.4"] | Gewindestange 1.000 mm. |
| 6305009 | Cartridge + solenoid 24 V. Cargo Floor (GS02) (incl. red emergency control) | Stift + Spule 24 V. Cargo Floor (GS02) (inkl. Rote Notbetätigung) |
| 6305014 | Solenoid Cargo Floor G(+GS)02 24V | Spule Cargo Floor G(+GS)02 24V |
| 7004125 | Straight screw-in coupling 1" x 25 mm [0.98"] | Garade Einschraubverschraubung 1" x 25 mm |
| 7004130 | Straight screw-in coupling 1" x 30 mm [1.18"] | Garade Einschraubverschraubung 1" x 30 mm. |
| 7071004 | Poppet valve (sequence cylinder valve) | Reihenfolge Ventil Zylinder |
| 7071005 | Spring for sequence cylinder valve (standard, L.=45 mm [1.77"]) | Feder für Reihenfolge Ventil Zylinder (Standard, L.=45 mm) |
| 7071006 | Socket plug ¾" with O-ring | Verschluss Schraube ¾" inkl. Abdichtung |
| 7071015 | Check valve CF-T25 | Rückschlagventil CF-T25 |
| 7154007 | Plastic emergency manual control GS02 | Kunststoff Nothandbedienung GS02 |
| 7155079 | Hydraulic pipe no. 6 ø30 mm [1.18"] (control valve 02 / CF500 SLC HighSpeed /CF600 HDC) | Hydraulische Leitung Nr. 6 ø30 mm (Steuerventil 02 / CF500 SLC HighSpeed /CF600 HDC) |
| 7156018 | Hydraulic pipe no. 1 (control valve 02/CF600) | Hydraulische Leitung Nr. 1 (Steuerventil 02/CF600) |
| 7156019 | Hydraulic pipe no. 4 (control valve 02/CF600) | Hydraulische Leitung Nr. 4 (Steuerventil 02/CF600) |
| 7156056 | Hydraulic pipe no. 5 (control valve 02), for turned filter (CF600 HDC) | Hydraulische Leitung Nr. 5 (Steuerventil 02), für Filter gedreht (CF600 HDC) |
| 7156082 | Hydraulic pipe no. 1 ø25x2 [1x0,07"] for HighSpeed filters pointing outward | Hydraulische leitung Nr. 1 ø25x2 für nach außen gerichtete HighSpeed-Filter |
| 7156086 | Hydraulic pipe no. 2 ø25x2 [1x0,07"] for HighSpeed filters pointing outward | Hydraulische leitung Nr. 2 ø25x2 für nach außen gerichtete HighSpeed-Filter |
| 7170037 | Pre-steering switching plunger L.= 306 mm. [12"] / D.= 16 mm. [0.6"] | Vorsteuer Umschaltkolbe L.= 306 mm. / D.= 16 mm |
| 7170039 | Modification kit control valve E->B including detent | Modifikationsset Steuerventil E->B inklusive Raste |
| 7170040 | Head for operation plunger housing control valve 02 | Deckel für Bedienkolbengehäuse Steuerventil 02 |
| 7170041 | Modification kit control valve B->E | Modifikationssatz Steuerventil B->E |
| 7170043 | Cover for switching piston control valve 02 | Deckel für Umschaltkolben Steuerventil 02 |
| 7170044 | Head for operation plunger housing control valve 02 (detent) | Deckel für Bedienkolbengehäuse Steuerventil 02 (Raste) |
| 7171103 | Bronze bush (B-operation) | Bronzebus (B-Bedienung) |
| 7177005 | Switching plunger L.=146 mm. [5.7"] / D.= 35 mm. [1.4"] | Kolben für Umschaltventil L.= 146 mm. / D.= 35 mm. |
| 7177007 | Connection rod B-operation ø16 [0.6"] (M10/M12) | Verbindungsstange B-bedienung ø16 (M10/M12) |
| 7317004 | Plug G02 for B-control | Verschluss G02 für B-bedienung |
| 7354005 | Handle (rubber) | Hebel (gummi) |
| 7371056 | Hydraulic cylinder CF600 HDC-4.7 no. 1 with fasteningmaterials | Hydraulik Zylinder CF600 HDC-4.7 Nr. 1 mit Befestigungsmaterialien |
| 7371057 | Hydraulic cylinder CF600 HDC-4.7 no. 2 with fasteningmaterials | Hydraulik Zylinder CF600 HDC-4.7 Nr. 2 mit Befestigungsmaterialien |
| 7371058 | Hydraulic cylinder CF600 HDC-4.7 no. 3 with fasteningmaterials | Hydraulik Zylinder CF600 HDC-4.7 Nr. 3 mit Befestigungsmaterialien |
| 7372011 | CF Pressure filter element QP (08/2020 - ...) | CF Druckfilterelement QP (08/2020 - ...) |
| 7372012 | CF Pressure filterset complete QP (08/2020 - ...) | CF Druckfilterset Komplett QP (08/2020 - ...) |
| 7376009 | Seals for control valve 02 | Abdichtungssatz für Steuerventil 02 |
| 7376011 | Seals for cylinder (CF600) | Abdichtungssset für Zylinder (CF600) |
| 7398007 | Control handle eye (control valve 02) | Armaturenhebel Auge (Steuerventil 02) |
| 7398008 | Tube with S-detent (control valve 02) | Rohr mit S-Raste (Steuerventil 02) |
| 7677004 | Operation plunger L.= 195 mm [7.68"] / D.= 25 mm [0.98"] | Bedienkolben L.= 195 mm. / D.= 25 mm. |
| 8370042 | Control valve 02 B-operation | Steuerventil 02 B-Bedienung |
| 7011252525 | Adjustable L-coupling 25 x 25 x 25 mm [1x1x1"] | Einstelbare L-Verschraubung 25x 25x 25mm |
| 6305011.01 | Cartridge Cargo Floor (GS02) (incl. red emergency control) | Stift Cargo Floor (GS02) (inkl. Rote Notbetätigung) |
| 70171.4 | Mininess plug (0-225 Bar) [3263 PSI] | Mininess Anschluß (0-225 Bar) |
| 70173/4.1 | Plug 3/4 for valve spring (hollow) | Schraubverschluss 3/4 für Ventil mit Feder (hohl) |
| 70183/4.1 | Bonded seal 3/4 (machined) | Dichtungsring 3/4 (bearbeitet) |
| 7154011.1 | Seal cap for pressure safety valve (red) | Schutzkappe für DV Ventil (Rot) |
| 7154016.01 | Insert cap B-control 70x70mm [2.76"x2.76"] (black) | Einschlagkappe B-Bedienung 70 x 70 mm (schwarz) |
| 7156001.01 | Hydraulic pipe no. 2 (control valve 02) | Hydraulische Leitung Nr. 2 (Steuerventil 02) |

| | | |
|---|---|---|
| 7156002.01 | Hydraulic pipe no. 3 (control valve 02) | Hydraulische Leitung Nr. 3 (Steuerventil 02) |
| 7157006.01 | Common rail CF600 HDC-4.7 | Common rail CF600 HDC-4.7 |
| 7370101.01 | Pressure cartridge pressure control valve incl. seal cap (yellow) | Druckstift Druckbegrenzungsventil inkl. Schutzkappe (Gelb) |
| 7371051.1 | Cover for control valve 02 | Schutzkappe für Steuerventil 02 |
| 7456003.01 | Plastic lock pin yellow (2x) and plastic bush red (2x) for command lip = 1 system | Kunststoff Sicherungsstift gelb (2x) mit kunststoff Buchse rot (2x) für Kommandolippe = 1 System |
| | <p>All changes reserved. This pricelist is valid during the given calendar year, valid is always the latest price given by the Cargo Floor computer system, so we advice you to contact us beforehand to check the price.</p> <p>Prices: Gross each in EURO, excl. VAT</p> <p>Delivery: Ex Works, according to our standard terms of payment and delivery</p> <p>Payment: nett, due 14 days from date of invoice</p> <p style="text-align: right;">All changes reserved</p> | <p>Änderungen vorbehalten. Diese Preislste ist gültig während des angegebenen Kalenderjahres, wobei immer der aktuellsten Preis, die das Cargo Floor computersystem angibt, gilt.</p> <p>Wir raten deswegen vorab uns zu kontaktieren um zu kontrollieren ob der Preis noch stimmt.</p> <p>Preise: Brutto pro Stück in EURO, excl. Mwst.</p> <p>Lieferung: ab Werk, laut unsere standard Lieferungs- und Zahlungsbedingungen</p> <p>Zahlung: netto, innerhalb 14 Tagen ab Rechnungsdatum</p> <p style="text-align: right;">Änderungen vorbehalten</p> |
| www.cargofloor.com - info@cargofloor.com - 0031-524593900 | | |