



FOR INFORMATION ONLY!

B-valve: Page 5





B	GG-C	23-06-2025	Minor, mainly cosmetic changes
C	GG-C	26-02-2026	Changed some article numbers. Changed crossmembers.
REV.	BY	DATE	DESCRIPTION
TOLERANCES UNLESS OTHERWISE STATED:		COLOR:	SIZE: A2 STATUS: Released
PROJECT:			ART. NO.:
Exploded views CF600 HD-C			DIMENSIONS: MM [INCH]
DESCRIPTION:			MATERIAL: -
Hydraulic Piston rod guidance; cylinder clamps; common rail; cylinders			SCALE: 1:5 SHEET: 1/1
DRAWN: GG-C DR. DATE: 7-12-2021			APR. BY: HO APR. DATE: 26-02-2026
TREATMENT: NONE			CATEGORY:
DRAWING NUMBER: EV60000-CF-222			DEBURR SHARP EDGES WEIGHT: 603.69 KG
CARGO FLOOR HORIZONTAL LOADING-FUNCTIONSYSTEM		PROJECTION:	Byte 14 NL-7741 MK Coevorden Phone : +31-524-593900 E-mail : info@cargo-floor.com
THIS DRAWING IS THE PROPERTY OF CARGO FLOOR B.V. AND MUST NOT BE COPIED OR REPRODUCED WITHOUT THEIR WRITTEN AUTHORITY (ISO 16016:2016)			

FOR INFORMATION ONLY!





D	GG-C	02-03-2026	Added missing art.no. 7156001.01 and corrected art.no. 7156002.1 to 7156002.01	
E	GG-C	10-03-2026	Added highspeed option with two filters and non-return valve	
REV.	BY	DATE	DESCRIPTION	
TOLERANCES UNLESS OTHERWISE STATED:			COLOR:	SIZE: STATUS:
				A2 Released
PROJECT:			ART. NO.:	
Exploded views CF600 HD-C			DIMENSIONS: MM [INCH]	
DESCRIPTION:			MATERIAL: -	
Piping & filter			SCALE: 1:6 SHEET: 1/1	
DRAWN: GG-C			DR. DATE: 12-10-2012	
APR. BY: HO			APR. DATE: 10-03-2026	
CATEGORY:			TREATMENT: NONE	
DRAWING NUMBER:			CATEGORY:	
EV60000-CF-223			DRAWING NUMBER:	
DEBURR SHARP EDGES			WEIGHT: 613.66 KG	
 Byte 14 NL-7741 MK Coevorden Phone : +31-524-593900 E-mail : info@cargofloor.com				
PROJECTION: 				
THIS DRAWING IS THE PROPERTY OF CARGO FLOOR B.V. AND MUST NOT BE COPIED OR REPRODUCED WITHOUT THEIR WRITTEN AUTHORITY (ISO 16016:2016)				

FOR INFORMATION ONLY!



B	GG-C	23-06-2025	Cosmetic changes	
C	GG-C	26-02-2026	Removed bushing (valve seat) art. 7071010	
REV.	BY	DATE	DESCRIPTION	
TOLERANCES UNLESS OTHERWISE STATED:			COLOR:	
			SIZE:	STATUS:
			A3	Released
PROJECT:				ART. NO.:
Exploded views CF600 HD-C				DIMENSIONS: MM [INCH]
DESCRIPTION:				MATERIAL: -
Cylinder				SCALE: 1:5 SHEET: 1/1
				DRAWN: GG-C DR. DATE: 14-6-2022
				APR. BY: HO APR. DATE: 26-02-2026
				TREATMENT:
				CATEGORY:
				DRAWING NUMBER:
				EV60000-CF-224
			PROJECTION:	DEBURR SHARP EDGES WEIGHT: 59.76 KG


CARGO FLOOR®
 HORIZONTAL LOADING / UNLOADING SYSTEM
 Byte 14
 NL-7741 MK Coevorden
 Phone : +31-524-593900
 E-mail : info@cargo-floor.com



0	GG-C	26-02-2026	-							
REV.	BY	DATE	DESCRIPTION							
TOLERANCES UNLESS OTHERWISE STATED:				COLOR:	SIZE:	STATUS:	ART. NO.:			
					A3	Released	DIMENSIONS: MM [INCH]			
PROJECT:							MATERIAL:			
Exploded views CF600 HD-C							SCALE:	1:2.5	SHEET:	1/6
DESCRIPTION:							DRAWN:	GG-C	DR. DATE:	8-11-2010
Control valve B-operation							APR. BY:	HO	APR. DATE:	26-02-2026
							TREATMENT:			
							CATEGORY:			
							DRAWING NUMBER:		0024617	
							DEBURR SHARP EDGES		WEIGHT:	KG
				 CARGO FLOOR® <small>HORIZONTAL LOADING / UNLOADING SYSTEM</small>		Byte 14 NL-7741 MK Coevorden Phone : +31-524-593900 E-mail : info@cargofloor.com		PROJECTION: 		
THIS DRAWING IS THE PROPERTY OF CARGO FLOOR B.V. AND MUST NOT BE COPIED OR REPRODUCED WITHOUT THEIR WRITTEN AUTHORITY (ISO 16016:2016)										

CARGO FLOOR - EXPLODED VIEWS CF600 HDC

18-3-2026

ART. NO.	DESCRIPTION	DESIGNATION
4103054	Lock-pin (plastic) for assembly strip u-profile for moving cross member 12 holes (12xM12)	Goupille de verrouillage (en plastique) pour profilé en U de la bande d'assemblage pour traverse mobile 12 trous (12xM12)
5153018	Clamping plate (triple) CF600 HDC	Étrier de serrage (triple) CF600 HDC
5154010	Clamping plate for cylinder (ø94mm [3.7"])	Étrier de serrage triple pour vérin (ø94mm [3.7"])
5154011	Clamping plate for cylinder sleeve (ø74mm [2.91"])	Étrier de serrage triple pour vérin (ø74mm [2.91"])
5159002	Distance ring round 30 mm [1.18"] (switching valve)	Entretoise, rond 30 mm [1.18"] (bloc commutateur)
5160003	Set guide blocks for 3 piston rods CF300/CF500/CF600, solid execution	Vérin plaque de guidage pour 3 tiges de piston CF300/CF500/CF600, solide
5350011	Assembly strip (12 x M12/240 mm [9.45"])	Bande du montage (12 x M12/240 mm [9.45"])
5355003	Threaded rod 1.000 mm. [39.4"]	Tige filetée 1.000 mm. [39.4"]
6305009	Cartridge + solenoid 24 V. Cargo Floor (GS02) (incl. red emergency control)	Mine + aimant 24 V. Cargo Floor (GS02) (incl. commande manuelle en danger)
6305014	Solenoid Cargo Floor G(+GS)02 24V	Aimant Cargo Floor G(+GS)02 24V
7004125	Straight screw-in coupling 1" x 25 mm [0.98"]	Raccord droit 1" x 25 mm [0.98"]
7004130	Straight screw-in coupling 1" x 30 mm [1.18"]	Raccord droit 1"x 30 mm [1.18"]
7071004	Poppet valve (sequence cylinder valve)	Soupape pour vérin
7071005	Spring for sequence cylinder valve (standard, L.=45 mm [1.77"])	Ressort pour cylindre de clapet anti-retour (standard, L.=45 mm)
7071006	Socket plug ¾" with O-ring	Bouchon Filets ¾"
7071015	Check valve CF-T25	Clapet anti-retour CF-T25
7154007	Plastic emergency manual control GS02	Plastique commande manuelle en danger GS02
7155079	Hydraulic pipe no. 6 ø30 mm [1.18"] (control valve 02 / CF500 SLC HighSpeed /CF600 HDC)	Tube hydraulique n° 6 ø30 mm [1.18"] (bloc de commande 02/ CF500 SLC HighSpeed /CF600 HDC)
7156018	Hydraulic pipe no. 1 (control valve 02/CF600)	Tube hydraulique n° 1 (bloc de commande 02/CF600)
7156019	Hydraulic pipe no. 4 (control valve 02/CF600)	Tube hydraulique n° 4 (bloc de commande 02/CF600)
7156056	Hydraulic pipe no. 5 (control valve 02), for turned filter (CF600 HDC)	Tube hydraulique n° 5 (bloc de commande 02), pour filtre retourné (CF600 HDC)
7156082	Hydraulic pipe no. 1 ø25x2 [1x0,07"] for HighSpeed filters pointing outward	Tuyau hydraulique n° 1 ø25x2 [1x0,07"] pour filtres HighSpeed orientés vers l'extérieur
7156086	Hydraulic pipe no. 2 ø25x2 [1x0,07"] for HighSpeed filters pointing outward	Tuyau hydraulique n° 2 ø25x2 [1x0,07"] pour filtres HighSpeed orientés vers l'extérieur
7170037	Pre-steering switching plunger L.= 306 mm. [12"] / D.= 16 mm. [0.6"]	Barre bloc de commuté L.= 306 mm. [12"] / D.= 16 mm [0.6"]
7170039	Modification kit control valve E->B including detent	Un set de la modification pour un bloc de commande E->B, incl. encliquetage
7170040	Head for operation plunger housing control valve 02	Couvercle plongeur de commande bloc de commande 02
7170041	Modification kit control valve B->E	Un set de la modification pour un bloc de commande B->E
7170043	Cover for switching piston control valve 02	Couvercle plongeur de commuté bloc de commande 02
7170044	Head for operation plunger housing control valve 02 (detent)	Couvercle plongeur de commande bloc de commande 02 (encliquetage)
7171103	Bronze bush (B-operation)	Boîte bronze (B-commande), inclus racle
7177005	Switching plunger L.=146 mm. [5.7"] / D.= 35 mm. [1.4"]	Plongeur commuté L.= 146 mm [5.7"] / épais= 35 mm [1.4"]
7177007	Connection rod B-operation ø16 [0.6"] (M10/M12)	Barre d'attelage B-commande Ø16 [0.6"] (M10/M12)
7317004	Plug G02 for B-control	Cheville G02 à l'intention de B-commande
7354005	Handle (rubber)	Poignée (caoutchouc)
7371056	Hydraulic cylinder CF600 HDC-4.7 no. 1 with fasteningmaterials	Vérin hydraulique CF600 HDC-4.7 n° 1 avec materiel de fixation
7371057	Hydraulic cylinder CF600 HDC-4.7 no. 2 with fasteningmaterials	Vérin hydraulique CF600 HDC-4.7 n° 2 avec materiel de fixation
7371058	Hydraulic cylinder CF600 HDC-4.7 no. 3 with fasteningmaterials	Vérin hydraulique CF600 HDC-4.7 n° 3 avec materiel de fixation
7372011	CF Pressure filter element QP (08/2020 - ...)	CF Filtreélément QP (08/2020 - ...)
7372012	CF Pressure filterset complete QP (08/2020 - ...)	Filtre du pressure CF complet QP (08/2020 - ...)
7376009	Seals for control valve 02	Étancher bloc de commande 02
7376011	Seals for cylinder (CF600)	Garniture pour vérin (CF600)
7398007	Control handle eye (control valve 02)	Manette oeil (bloc de commande 02)
7398008	Tube with S-detent (control valve 02)	Tube avec blocage en S (Bloc de Commande 02)
7677004	Operation plunger L.= 195 mm [7.68"] / D.= 25 mm [0.98"]	Plongeur de commande L.= 195 mm [7.68"] / épais= 25 mm [0.98"]
8370042	Control valve 02 B-operation	Bloc de commande 02 "B"
7011252525	Adjustable L-coupling 25 x 25 x 25 mm [1x1x1"]	Raccord en L réglable 25 x 25 x 25 mm [1x1x1"]
6305011.01	Cartridge Cargo Floor (GS02) (incl. red emergency control)	Mine Cargo Floor (GS02) (incl. commande manuelle en danger)
70171.4	Minimess plug (0-225 Bar) [3263 PSI]	Minimess fiche (0-225 Bar) [3263 PSI]
70173/4.1	Plug 3/4 for valve spring (hollow)	Connecteur ¾ pour ressort de valve (concave)
70183/4.1	Bonded seal 3/4 (machined)	Joint ¾"
7154011.1	Seal cap for pressure safety valve (red)	Bouchon pour soupape de sécurité (rouge)
7154016.01	Insert cap B-control 70x70mm [2.76"x2.76"] (black)	Insérer le capuchon B-control 70 x 70 mm [2,76« x 2,76 »] (noir)

7156001.01	Hydraulic pipe no. 2 (control valve 02)	Tube hydraulique n° 2 (bloc de commande 02)
7156002.01	Hydraulic pipe no. 3 (control valve 02)	Tube hydraulique n° 3 (bloc de commande 02)
7157006.01	Common rail CF600 HDC-4.7	Common rail CF600 HDC-4.7
7370101.01	Pressure cartridge pressure control valve incl. seal cap (yellow)	Mine de pression avec bouchon de fermeture (rouge)
7371051.1	Cover for control valve 02	Toiture protectrice bloc de commande 02
7456003.01	Plastic lock pin yellow (2x) and plastic bush red (2x) for command lip = 1 system	Goupille de verrouillage en plastique jaune (2x) et douille en plastique rouge (2x) pour lèvres de commande = 1 système
	<p>All changes reserved. This pricelist is valid during the given calendar year, valid is always the latest price given by the Cargo Floor computer system, so we advice you to contact us beforehand to check the price.</p> <p>Prices: Gross each in EURO, excl. VAT</p> <p>Delivery: Ex Works, according to our standard terms of payment and delivery</p> <p>Payment: nett, due 14 days from date of invoice</p> <p style="text-align: right;">All changes reserved</p>	<p>Tous les changements sont réservés. Cette liste de prix n'est valable que pour l'année en cours selon les tarifs Cargo Floor B.V. Nous vous conseillons donc de contacter Cargo Floor B.V. au préalable pour vérifier les prix.</p> <p>Prix : Brut en EURO, hors TVA</p> <p>Livraison: départ usine, selon notre standard conditions de livraison et de paiement</p> <p>Paieiment: 14 jours nets date de facture</p> <p style="text-align: right;">Sous réserve de modifications</p>
www.cargofloor.com - info@cargofloor.com - 0031-524593900		