



**FOR INFORMATION ONLY!**

**B-valve: Page 5**





B	GG-C	23-06-2025	Minor, mainly cosmetic changes
C	GG-C	26-02-2026	Changed some article numbers. Changed crossmembers.
REV.	BY	DATE	DESCRIPTION
TOLERANCES UNLESS OTHERWISE STATED:			COLOR:
SIZE:	A2	STATUS:	Released
ART. NO.:	DIMENSIONS: MM [INCH]		
PROJECT:	Exploded views CF600 HD-C		
SCALE:	1:5	SHEET:	1/1
DRAWN:	GG-C	DR. DATE:	7-12-2021
APR. BY:	HO	APR. DATE:	26-02-2026
TREATMENT:	NONE		
CATEGORY:			
DESCRIPTION:	Hydraulic Piston rod guidance; cylinder clamps; common rail; cylinders		
DRAWING NUMBER:	EV60000-CF-222		
DEBURR SHARP EDGES	WEIGHT:	603.69 KG	
 Byte 14 NL-7741 MK Coevorden Phone : +31-524-593900 E-mail : info@cargofloor.com			
PROJECTION: 			
THIS DRAWING IS THE PROPERTY OF CARGO FLOOR B.V. AND MUST NOT BE COPIED OR REPRODUCED WITHOUT THEIR WRITTEN AUTHORITY (ISO 16016:2016)			

**FOR INFORMATION ONLY!**



D	GG-C	02-03-2026	Added missing art.no. 7156001.01 and corrected art.no. 7156002.1 to 7156002.01	
E	GG-C	10-03-2026	Added highspeed option with two filters and non-return valve	
REV.	BY	DATE	DESCRIPTION	
TOLERANCES UNLESS OTHERWISE STATED:			COLOR:	SIZE: STATUS:
				<b>A2 Released</b>
PROJECT:			ART. NO.:	
<b>Exploded views CF600 HD-C</b>			DIMENSIONS: MM [INCH]	
DESCRIPTION:			MATERIAL: -	
<b>Piping &amp; filter</b>			SCALE: 1:6 SHEET: 1/1	
DRAWING NUMBER:			DRAWN: GG-C DR. DATE: 12-10-2012	
<b>EV60000-CF-223</b>			APR. BY: HO APR. DATE: 10-03-2026	
TREATMENT: NONE			CATEGORY:	
DEBURR SHARP EDGES			WEIGHT: 613.66 KG	
 Byte 14 NL-7741 MK Coevorden Phone : +31-524-593900 E-mail : info@cargofloor.com			PROJECTION: DRAWING NUMBER:	
THIS DRAWING IS THE PROPERTY OF CARGO FLOOR B.V. AND MUST NOT BE COPIED OR REPRODUCED WITHOUT THEIR WRITTEN AUTHORITY (ISO 16016:2016)				

# FOR INFORMATION ONLY!






7376011

B	GG-C	23-06-2025	Cosmetic changes	
C	GG-C	26-02-2026	Removed bushing (valve seat) art. 7071010	
REV.	BY	DATE	DESCRIPTION	
TOLERANCES UNLESS OTHERWISE STATED:			COLOR:	
			SIZE:	STATUS:
			<b>A3</b>	<b>Released</b>
PROJECT:				ART. NO.:
<b>Exploded views CF600 HD-C</b>				DIMENSIONS: MM [INCH]
DESCRIPTION:				MATERIAL: -
<b>Cylinder</b>				SCALE: 1:5 SHEET: 1/1
				DRAWN: GG-C DR. DATE: 14-6-2022
				APR. BY: HO APR. DATE: 26-02-2026
				TREATMENT:
				CATEGORY:
				DRAWING NUMBER:
				<b>EV60000-CF-224</b>
PROJECTION:			DEBURR SHARP EDGES	WEIGHT: 59.76 KG



Byte 14  
 NL-7741 MK Coevorden  
 Phone : +31-524-593900  
 E-mail : info@cargo-floor.com





0	GG-C	26-02-2026	-							
REV.	BY	DATE	DESCRIPTION	TOLERANCES UNLESS OTHERWISE STATED:		COLOR:	SIZE:	STATUS:	ART. NO.:	
							<b>A3</b>	<b>Released</b>		
PROJECT:									DIMENSIONS: MM [INCH]	
<b>Exploded views CF600 HD-C</b>									MATERIAL:	
DESCRIPTION:									SCALE: 1:2.5 SHEET: 1/6	
<b>Control valve B-operation</b>									DRAWN: GG-C DR. DATE: 8-11-2010	
									APR. BY: HO APR. DATE: 26-02-2026	
									TREATMENT:	
									CATEGORY:	
									DRAWING NUMBER:	
									<b>0024617</b>	
									DEBURR SHARP EDGES WEIGHT: KG	
 <b>CARGO FLOOR®</b> <small>HORIZONTAL LOADING / UNLOADING SYSTEM</small>				Byte 14 NL-7741 MK Coevorden Phone : +31-524-593900 E-mail : info@cargofloor.com			PROJECTION: 			
THIS DRAWING IS THE PROPERTY OF CARGO FLOOR B.V. AND MUST NOT BE COPIED OR REPRODUCED WITHOUT THEIR WRITTEN AUTHORITY (ISO 16016:2016)										



ART. NO.	DESCRIPTION	DESCRIZIONE
4103054	Lock-pin (plastic) for assembly strip u-profile for moving cross member 12 holes (12xM12)	Perno di bloccaggio (in plastica) per profilo a U della barra di assemblaggio per traversa mobile 12 fori (12xM12)
5153018	Clamping plate (triple) CF600 HDC	Piastra di fissaggio (triplo) CF600 HDC
5154010	Clamping plate for cylinder (ø94mm [3.7"])	Piastra di fissaggio canna cilindro (ø94mm)
5154011	Clamping plate for cylinder sleeve (ø74mm [2.91"])	Piastra di fissaggio canna cilindro (ø74mm)
5159002	Distance ring round 30 mm [1.18"] (switching valve)	Anello giunzione, rotondo 30 mm (valvola commutazione)
5160003	Set guide blocks for 3 piston rods CF300/CF500/CF600, solid execution	Set blocchi guida pieni per 3 steli cilindro CF300/CF500/CF600, solido
5350011	Assembly strip (12 x M12/240 mm [9.45"])	Guida montaggio (12 x M12/240 mm)
5355003	Threaded rod 1.000 mm. [39.4"]	Perno filettato 1.000 mm.
6305009	Cartridge + solenoid 24 V. Cargo Floor (GS02) (incl. red emergency control)	Cartuccia + magnete 24 V. Cargo Floor (GS02) (incl. controllo manuale in pericolo)
6305014	Solenoid Cargo Floor G(+GS)02 24V	Magnete Cargo Floor G(+GS)02 24V
7004125	Straight screw-in coupling 1" x 25 mm [0.98"]	Manicotto filettato 1" x 25 mm
7004130	Straight screw-in coupling 1" x 30 mm [1.18"]	Manicotto filettato 1" x 30 mm.
7071004	Poppet valve (sequence cylinder valve)	Valvola per cilindro
7071005	Spring for sequence cylinder valve (standard, L.=45 mm [1.77"])	Molla per cilindro della valvola di ritegno (standard, L.=45 mm)
7071006	Socket plug ¾" with O-ring	Vite a testa vuota ¾"
7071015	Check valve CF-T25	Valvola di ritegno CF-T25
7154007	Plastic emergency manual control GS02	Plastica controllo manuale in pericolo GS02
7155079	Hydraulic pipe no. 6 ø30 mm [1.18"] (control valve 02 / CF500 SLC HighSpeed /CF600 HDC)	Tubo idr. n° 6 ø30 mm (valvola di comando 02 / CF500 SLC HighSpeed /CF600 HDC)
7156018	Hydraulic pipe no. 1 (control valve 02/CF600)	Tubo idr. n° 1 (valvola di comando 02/CF600)
7156019	Hydraulic pipe no. 4 (control valve 02/CF600)	Tubo idr. n° 4 (valvola di comando 02/CF600)
7156056	Hydraulic pipe no. 5 (control valve 02), for turned filter (CF600 HDC)	Tubo idr. n° 5 (valvola di comando 02), per filtro girato (CF600 HDC)
7156082	Hydraulic pipe no. 1 ø25x2 [1x0,07"] for HighSpeed filters pointing outward	Tubo idraulico n. 1 ø25x2 per filtri HighSpeed rivolti verso l'esterno
7156086	Hydraulic pipe no. 2 ø25x2 [1x0,07"] for HighSpeed filters pointing outward	Tubo idraulico n. 2 ø25x2 per filtri HighSpeed rivolti verso l'esterno
7170037	Pre-steering switching plunger L.= 306 mm. [12"] / D.= 16 mm. [0.6"]	Cilindretto di scambio L.= 306 mm. / D.= 16 mm.
7170039	Modification kit control valve E->B including detent	Kit per modifica della valvola di comando da E a B, incl. arresto
7170040	Head for operation plunger housing control valve 02	Testata per blocco del pistoncino di movimento valvola di comando 02
7170041	Modification kit control valve B->E	Kit per modifica della valvola di comando da B a E
7170043	Cover for switching piston control valve 02	Coperchio per pistoncino di scambio valvola di comando 02
7170044	Head for operation plunger housing control valve 02 (detent)	Testata per blocco del pistoncino di movimento valvola di comando 02 (arresto)
7171103	Bronze bush (B-operation)	Bronzina (B-control)
7177005	Switching plunger L.=146 mm. [5.7"] / D.= 35 mm. [1.4"]	Pistoncino della valvola di scambio L.= 146 mm, D.= 35 mm.
7177007	Connection rod B-operation ø16 [0.6"] (M10/M12)	Tondino di collegamento ø16 mm B-control (M10/M12)
7317004	Plug G02 for B-control	Spina G02 per B-control
7354005	Handle (rubber)	Manico (acauciù)
7371056	Hydraulic cylinder CF600 HDC-4.7 no. 1 with fasteningmaterials	Cilindro idr. CF600 HDC-4.7 n° 1 con materiale di fissaggio
7371057	Hydraulic cylinder CF600 HDC-4.7 no. 2 with fasteningmaterials	Cilindro idr. CF600 HDC-4.7 n° 2 con materiale di fissaggio
7371058	Hydraulic cylinder CF600 HDC-4.7 no. 3 with fasteningmaterials	Cilindro idr. CF600 HDC-4.7 n° 3 con materiale di fissaggio
7372011	CF Pressure filter element QP (08/2020 - ...)	CF Elemento filtro QP (08/2020 - ...)
7372012	CF Pressure filterset complete QP (08/2020 - ...)	Set CF completo filtri QP (08/2020 - ...)
7376009	Seals for control valve 02	Set guarnizioni valvola di comando 02
7376011	Seals for cylinder (CF600)	Set guarnizioni cilindro (CF600)
7398007	Control handle eye (control valve 02)	Proluniga maniglia di controllo (Valvola di comando 02)
7398008	Tube with S-detent (control valve 02)	Tubolare con fermo a S (valvola di comando 02)
7677004	Operation plunger L.= 195 mm [7.68"] / D.= 25 mm [0.98"]	Pistoncino di movimento L.= 195 mm. / D.= 25 mm.
8370042	Control valve 02 B-operation	Valvola di comando 02 "B"
7011252525	Adjustable L-coupling 25 x 25 x 25 mm [1x1x1"]	Giunto a L regolabile 25 x 25 x 25 mm
6305011.01	Cartridge Cargo Floor (GS02) (incl. red emergency control)	Cartuccia Cargo Floor (GS02) (incl. controllo manual in pericolo)
70171.4	Minimes plug (0-225 Bar) [3263 PSI]	Minimes spinotto (0-225 Bar)
70173/4.1	Plug 3/4 for valve spring (hollow)	Tappo 3/4 per molla della valvola (cavo)
70183/4.1	Bonded seal 3/4 (machined)	Raccordo 3/4"
7154011.1	Seal cap for pressure safety valve (red)	Cappuccio per valvola di sicurezza (rosso)
7154016.01	Insert cap B-control 70x70mm [2.76"x2.76"] (black)	Inserire il tappo B-control 70x70 mm (nero)

7156001.01	Hydraulic pipe no. 2 (control valve 02)	Tubo idr. n° 2 (valvola di comando 02)	
7156002.01	Hydraulic pipe no. 3 (control valve 02)	Tubo idr. n° 3 (valvola di comando 02)	
7157006.01	Common rail CF600 HDC-4.7	Common rail CF600 HDC-4.7	
7370101.01	Pressure cartridge pressure control valve incl. seal cap (yellow)	Cartuccia pressione con tappo di chiusura (rosso)	
7371051.1	Cover for control valve 02	Tettoia protettivo valvola di comando 02	
7456003.01	Plastic lock pin yellow (2x) and plastic bush red (2x) for command lip = 1 system	Perno di bloccaggio in plastica giallo (2x) e boccola in plastica rossa (2x) per labbro di comando = 1 sistema	
	<p>All changes reserved. This pricelist is valid during the given calendar year, valid is always the latest price given by the Cargo Floor computer system, so we advice you to contact us beforehand to check the price.</p> <p>Prices: Gross each in EURO, excl. VAT</p> <p>Delivery: Ex Works, according to our standard terms of payment and delivery</p> <p>Payment: nett, due 14 days from date of invoice</p> <p style="text-align: right;">All changes reserved</p>	<p>Riserva di eventuali modifiche. Il listino prezzi è valido per l'anno di calendario dato, rimane sempre valido l'ultimo prezzo indicato dal sistema informatico di Cargo Floor. Quindi ti consigliamo di contattarci in anticipo per verificare il prezzo.</p> <p>Prezzi: Lordo a testa in EURO, IVA esclusa.</p> <p>Consegna: franco fabbrica, come da nostro standard condizioni di pagamento e di consegna</p> <p>Pagament: netto, 14 giorni data fattura</p> <p style="text-align: right;">Soggetto a modifiche</p>	
www.cargofloor.com - info@cargofloor.com - 0031-524593900			