





0	GG-C	15-05-2025	-						
A	GG-C	27-02-2026	Corrected the article number for the pistonrod guidance						
REV.	BY	DATE	DESCRIPTION						
TOLERANCES UNLESS OTHERWISE STATED:				COLOR:	SIZE:	STATUS:	ART. NO.:	DIMENSIONS: MM [INCH]	
					A2	Released		MATERIAL: -	
PROJECT:							SCALE: 1:6 SHEET: 1/3		
<b>Exploded views CF100 SLL</b>							DRAWN: GG-C DR. DATE: 26-11-2024		
DESCRIPTION:							APR. BY: ES APR. DATE: 27-02-2026		
<b>Assembly drawing</b>							TREATMENT:		
							CATEGORY:		
							DRAWING NUMBER: <b>0021755</b>		
							DEBURR SHARP EDGES WEIGHT: 344.95 KG		
Byte 14 NL-7741 MK Coevorden Phone : +31-524-593900 E-mail : info@cargofloor.com							PROJECTION:		
THIS DRAWING IS THE PROPERTY OF CARGO FLOOR B.V. AND MUST NOT BE COPIED OR REPRODUCED WITHOUT THEIR WRITTEN AUTHORITY (ISO 16016:2016)									




0	GG-C	15-05-2025	-							
A	GG-C	27-02-2026	Corrected the article number for the pistonrod guidance							
REV.	BY	DATE	DESCRIPTION							
TOLERANCES UNLESS OTHERWISE STATED:				COLOR:	SIZE:	STATUS:	ART. NO.:	DIMENSIONS: MM [INCH]		
					A2	Released				
PROJECT:							MATERIAL: -			
<b>Exploded views CF100 SLL</b>							SCALE:	1:6	SHEET:	2/3
DESCRIPTION:							DRAWN:	GG-C	DR. DATE:	26-11-2024
<b>Pistonrod guidance &amp; cylinder clamps</b>							APR. BY:	ES	APR. DATE:	27-02-2026
							TREATMENT:			
							CATEGORY:			
							DRAWING NUMBER:	<b>0021755</b>		
 <b>CARGO FLOOR®</b> <small>HORISCHON LADING-VERSCHICHTEN</small>							PROJECTION: 		DEBURR SHARP EDGES WEIGHT: 344.95 KG	
Byte 14 NL-7741 MK Coevorden Phone : +31-524-593900 E-mail : info@cargo-floor.com										
THIS DRAWING IS THE PROPERTY OF CARGO FLOOR B.V. AND MUST NOT BE COPIED OR REPRODUCED WITHOUT THEIR WRITTEN AUTHORITY (ISO 16016:2016)										



0	GG-C	15-05-2025	-						
A	GG-C	27-02-2026	Corrected the article number for the pistonrod guidance						
REV.	BY	DATE	DESCRIPTION						
TOLERANCES UNLESS OTHERWISE STATED:				COLOR:	SIZE:	STATUS:	ART. NO.:		
					<b>A2</b>	<b>Released</b>	DIMENSIONS: MM [INCH]		
PROJECT:							MATERIAL: -		
<b>Exploded views CF100 SLL</b>							SCALE:	1:6	SHEET: 3/3
DESCRIPTION:							DRAWN:	GG-C	DR. DATE: 26-11-2024
<b>Piping</b>							APR. BY:	ES	APR. DATE: 27-02-2026
							TREATMENT:		
							CATEGORY:		
							DRAWING NUMBER: <b>0021755</b>		
							DEBURR SHARP EDGES WEIGHT: 344.95 KG		
PROJECT: <b>CARGO FLOOR®</b> NL-7741 MK Coevorden Phone : +31-524-593900 E-mail : info@cargofloor.com				PROJECTION:		THIS DRAWING IS THE PROPERTY OF CARGO FLOOR B.V. AND MUST NOT BE COPIED OR REPRODUCED WITHOUT THEIR WRITTEN AUTHORITY (ISO 16016:2016)			





A	GG-C	22-01-2026	Changed art.no.'s 6305011, 7154016 and 7370101 to 6305011.01, 7154016.01 and 7370101.01 respectively			
B	GG-C	27-02-2026	Corrected cover for control valve (pages 5, 7, and 9)			
REV.	BY	DATE	DESCRIPTION			
TOLERANCES UNLESS OTHERWISE STATED:			COLOR:	SIZE:	STATUS:	ART. NO.:
ISO 13920 AE			None	<b>A3</b>	<b>Released</b>	DIMENSIONS: MM [INCH]
PROJECT:						MATERIAL:
<b>Exploded views CF100 SLL</b>						SCALE: 1:2.5 SHEET: 3/6
DESCRIPTION:						DRAWN: GG-C DR. DATE: 8-11-2010
<b>Control valve E-operation</b>						APR. BY: GG-C APR. DATE: 27-02-2026
						TREATMENT:
						CATEGORY:
						DRAWING NUMBER:
						<b>0021786</b>
						DEBURR SHARP EDGES WEIGHT: KG




A+B+C+D=7376009

A	GG-C	22-01-2026	Changed art.no.'s 6305011, 7154016 and 7370101 to 6305011.01, 7154016.01 and 7370101.01 respectively			
B	GG-C	27-02-2026	Corrected cover for control valve (pages 5, 7, and 9)			
REV.	BY	DATE	DESCRIPTION			
TOLERANCES UNLESS OTHERWISE STATED:			COLOR:	SIZE:	STATUS:	ART. NO.:
ISO 13920 AE			None	<b>A3</b>	<b>Released</b>	DIMENSIONS: MM [INCH]
PROJECT:						MATERIAL:
<b>Exploded views CF100 SLL</b>						SCALE: 1:7 SHEET: 4/6
DESCRIPTION:						DRAWN: GG-C DR. DATE: 8-11-2010
<b>Control valve E-operation</b>						APR. BY: GG-C APR. DATE: 27-02-2026
						TREATMENT:
						CATEGORY:
						DRAWING NUMBER: <b>0021786</b>
				PROJECTION:	DEBURR SHARP EDGES WEIGHT: KG	





A	GG-C	22-01-2026	Changed art.no.'s 6305011, 7154016 and 7370101 to 6305011.01, 7154016.01 and 7370101.01 respectively			
B	GG-C	27-02-2026	Corrected cover for control valve (pages 5, 7, and 9)			
REV.	BY	DATE	DESCRIPTION			
TOLERANCES UNLESS OTHERWISE STATED:			COLOR:	SIZE:	STATUS:	ART. NO.:
ISO 13920 AE			None	<b>A3</b>	<b>Released</b>	DIMENSIONS: MM [INCH]
PROJECT:						MATERIAL:
<b>Exploded views CF100 SLL</b>						SCALE: 1:2.5 SHEET: 1/6
DESCRIPTION:						DRAWN: GG-C DR. DATE: 8-11-2010
<b>Control valve B-operation</b>						APR. BY: GG-C APR. DATE: 27-02-2026
						TREATMENT:
						CATEGORY:
						DRAWING NUMBER:
						<b>0021786</b>
						DEBURR SHARP EDGES WEIGHT: KG




A+B+C+D=7376009

A	GG-C	22-01-2026	Changed art.no.'s 6305011, 7154016 and 7370101 to 6305011.01, 7154016.01 and 7370101.01 respectively			
B	GG-C	27-02-2026	Corrected cover for control valve (pages 5, 7, and 9)			
REV.	BY	DATE	DESCRIPTION			
TOLERANCES UNLESS OTHERWISE STATED:			COLOR:	SIZE:	STATUS:	ART. NO.:
ISO 13920 AE			None	A3	Released	DIMENSIONS: MM [INCH]
PROJECT:						MATERIAL:
<b>Exploded views CF100 SLL</b>						SCALE: 1:7 SHEET: 2/6
DESCRIPTION:						DRAWN: GG-C DR. DATE: 8-11-2010
<b>Control valve B-operation</b>						APR. BY: GG-C APR. DATE: 27-02-2026
						TREATMENT:
						CATEGORY:
						DRAWING NUMBER: <b>0021786</b>
<b>CARGO FLOOR</b> <small>HORIZONTAL LOADING / UNLOADING SYSTEM</small>				PROJECTION:		DEBURR SHARP EDGES WEIGHT: KG
Byte 14 NL-7741 MK Coevorden Phone : +31-524-593900 E-mail : info@cargofloor.com						
THIS DRAWING IS THE PROPERTY OF CARGO FLOOR B.V. AND MUST NOT BE COPIED OR REPRODUCED WITHOUT THEIR WRITTEN AUTHORITY (ISO 16016:2016)						



A	GG-C	22-01-2026	Changed art.no.'s 6305011, 7154016 and 7370101 to 6305011.01, 7154016.01 and 7370101.01 respectively			
B	GG-C	27-02-2026	Corrected cover for control valve (pages 5, 7, and 9)			
REV.	BY	DATE	DESCRIPTION			
TOLERANCES UNLESS OTHERWISE STATED:			COLOR:	SIZE:	STATUS:	ART. NO.:
ISO 13920 AE			None	<b>A3</b>	<b>Released</b>	DIMENSIONS: MM [INCH]
PROJECT:						MATERIAL:
<b>Exploded views CF100 SLL</b>						SCALE: 1:2.5 SHEET: 5/6
DESCRIPTION:						DRAWN: GG-C DR. DATE: 8-11-2010
<b>Control valve A-operation</b>						APR. BY: GG-C APR. DATE: 27-02-2026
TREATMENT:						CATEGORY:
PROJECTION:						DRAWING NUMBER:
 <b>CARGO FLOOR</b> <small>HORIZONTAL LOADING / UNLOADING SYSTEM</small>						<b>0021786</b>
						DEBURR SHARP EDGES WEIGHT: KG
Byte 14 NL-7741 MK Coevorden Phone : +31-524-593900 E-mail : info@cargofloor.com						
THIS DRAWING IS THE PROPERTY OF CARGO FLOOR B.V. AND MUST NOT BE COPIED OR REPRODUCED WITHOUT THEIR WRITTEN AUTHORITY (ISO 16016:2016)						



A+B+C+D=7376009

A	GG-C	22-01-2026	Changed art.no.'s 6305011, 7154016 and 7370101 to 6305011.01, 7154016.01 and 7370101.01 respectively			
B	GG-C	27-02-2026	Corrected cover for control valve (pages 5, 7, and 9)			
REV.	BY	DATE	DESCRIPTION			
TOLERANCES UNLESS OTHERWISE STATED:			COLOR:	SIZE:	STATUS:	ART. NO.:
ISO 13920 AE			None	<b>A3</b>	<b>Released</b>	DIMENSIONS: MM [INCH]
PROJECT:						MATERIAL:
<b>Exploded views CF100 SLL</b>						SCALE: 1:7 SHEET: 6/6
DESCRIPTION:						DRAWN: GG-C DR. DATE: 8-11-2010
<b>Control valve A-operation</b>						APR. BY: GG-C APR. DATE: 27-02-2026
						TREATMENT:
						CATEGORY:
						DRAWING NUMBER: <b>0021786</b>
				PROJECTION:	DEBURR SHARP EDGES WEIGHT: KG	
<b>CARGO FLOOR</b> <small>HORIZONTAL LOADING / UNLOADING SYSTEM</small>				Byte 14 NL-7741 MK Coevorden Phone : +31-524-593900 E-mail : info@cargofloor.com		
THIS DRAWING IS THE PROPERTY OF CARGO FLOOR B.V. AND MUST NOT BE COPIED OR REPRODUCED WITHOUT THEIR WRITTEN AUTHORITY (ISO 16016:2016)						

## CARGO FLOOR - EXPLODED VIEWS CF100 SLL

24-3-2026

ART. NO.	DESCRIPTION	BENENNUNG
4103016	Plastic bearing comb kick down 7/112 [4.4"] H.32 [1.26"] (blue)	Kunststoff Gleitkamm "kick down" 7/112 H32 (Blau)
5154002	Clamping plate (triple) CF100/CF150	Klemmplatte (3-fach) CF100/CF150
5154003	Clamping plate for piston rod ø59 mm [2.32"] CF100/CF150	Klemmplatte für Kolbenstange ø59 mm CF100/CF150
5154004	Clamping plate for cylinder bottom ø94 mm [3.7"] CF100/CF150	Klemmplatte für Zylinderunterseite ø94 mm CF100/CF150
5159002	Distance ring round 30 mm [1.18"] (switching valve)	Distanzring rund 30 mm (Umschaltventil)
5160006	Set Guide blocks for 3 piston rods CF100/CF150	Satz Führungsblöcke für 3 Zylinderstange CF100/CF150
5350005	Assembly strip (6x M12/240 mm [9.54"])	Montagestreifen (6x M12/240 mm)
5355003	Threaded rod 1.000 mm. [39.4"]	Gewindestange 1.000 mm.
6305009	Cartridge + solenoid 24 V. Cargo Floor (GS02) (incl. red emergency control)	Stift + Spule 24 V. Cargo Floor (GS02) (inkl. Rote Notbetätigung)
6305010	Cartridge + solenoid 24 V. Cargo Floor (G02)	Stift + Spule 24 V. Cargo Floor (G02)
6305012	Cartridge Cargo Floor (G02)	Stift Cargo Floor (G02)
6305014	Solenoid Cargo Floor G(+GS)02 24V	Spule Cargo Floor G(+GS)02 24V
7004125	Straight screw-in coupling 1" x 25 mm [0.98"]	Gerade Einschraubverschraubung 1" x 25 mm
7071006	Socket plug ¾" with O-ring	Verschluss Schraube ¾" inkl. Abdichtung
7154007	Plastic emergency manual control GS02	Kunststoff Nothandbedienung GS02
7155057	Hydraulic pipe no. 1 (control valve 02/CF100)	Hydraulische Leitung Nr. 1 (Steuerventil 02/CF100)
7155058	Hydraulic pipe no. 2 (control valve 02/CF100)	Hydraulische Leitung Nr. 2 (Steuerventil 02/CF100)
7155059	Hydraulic pipe no. 3 (control valve 02/CF100)	Hydraulische Leitung Nr. 3 (Steuerventil 02/CF100)
7155060	Hydraulic pipe no. 4 (control valve 02/CF100)	Hydraulische Leitung Nr. 4 (Steuerventil 02/CF100)
7157005	Common rail A	Common rail A
7170037	Pre-steering switching plunger L.= 306 mm. [12"] / D.= 16 mm. [0.6"]	Vorsteuer Umschaltkolbe L.= 306 mm. / D.= 16 mm
7170039	Modification kit control valve E->B including detent	Modifikationsset Steuerventil E->B inklusive Raste
7170040	Head for operation plunger housing control valve 02	Deckel für Bedienkolbengehäuse Steuerventil 02
7170041	Modification kit control valve B->E	Modifikationsset Steuerventil B->E
7170043	Cover for switching piston control valve 02	Deckel für Umschaltkolben Steuerventil 02
7170044	Head for operation plunger housing control valve 02 (detent)	Deckel für Bedienkolbengehäuse Steuerventil 02 (Raste)
7171103	Bronze bush (B-operation)	Bronzebus (B-Bedienung)
7177005	Switching plunger L.=146 mm. [5.7"] / D.= 35 mm. [1.4"]	Kolben für Umschaltventil L.= 146 mm. / D.= 35 mm.
7177007	Connection rod B-operation ø16 [0.6"] (M10/M12)	Verbindungsstange B-bedienung ø16 (M10/M12)
7317001	Plug A	Schraubverschluss A
7317004	Plug G02 for B-control	Verschluss G02 für B-bedienung
7354005	Handle (rubber)	Hebel (gummi)
7370017	Control valve 02 E-operation	Steuerventil 02 E-Bedienung
7370107	Choke ø6.5 mm (control valve 02)	Drossel ø6.5 mm (Steuerventil 02)
7371032	Hydraulic cylinder CF100 SLL no. 1 with fasteningmaterials	Hydraulik Zylinder CF100 SLL Nr. 1 mit Befestigungsmaterialien
7371033	Hydraulic cylinder CF100 SLL no. 2 with fasteningmaterials	Hydraulik Zylinder CF100 SLL Nr. 2 mit Befestigungsmaterialien
7371034	Hydraulic cylinder CF100 SLL no. 3 with fasteningmaterials	Hydraulik Zylinder CF100 SLL Nr. 3 mit Befestigungsmaterialien
7371051	Cover for control valve 02	Schutzkappe für Steuerventil 02
7376009	Seals for control valve 02	Abdichtungssatz für Steuerventil 02
7398007	Control handle eye (control valve 02)	Armaturenhebel Auge (Steuerventil 02)
7398008	Tube with S-detent (control valve 02)	Rohr mit S-Raste (Steuerventil 02)
7677004	Operation plunger L.= 195 mm [7.68"] / D.= 25 mm [0.98"]	Bedienkolben L.= 195 mm. / D.= 25 mm.
8370042	Control valve 02 B-operation	Steuerventil 02 B-Bedienung
8370045	Control valve 02 A-operation	Steuerventil 02 A-Bedienung
6305011.01	Cartridge Cargo Floor (GS02) (incl. red emergency control)	Stift Cargo Floor (GS02) (inkl. Rote Notbetätigung)
70043/420	Straight screw-in coupling ¾" x 20 mm [0.79"]	Gerade Einschraubverschraubung ¾" x 20 mm.
70171.4	Minimess plug (0-225 Bar) [3263 PSI]	Minimess Anschluß (0-225 Bar)
7154011.1	Seal cap for pressure safety valve (red)	Schutzkappe für DV Ventil (Rot)
7154016.01	Insert cap B-control 70x70mm [2.76"x2.76"] (black)	Einschlagkappe B-Bedienung 70 x 70 mm (schwarz)

7370101.01	Pressure cartridge pressure control valve incl. seal cap (yellow)	Druckstift Druckbegrenzungsventil inkl. Schutzkappe (Gelb)	
	<p>All changes reserved. This pricelist is valid during the given calendar year, valid is always the latest price given by the Cargo Floor computer system, so we advice you to contact us beforehand to check the price.</p> <p>Prices: Gross each in EURO, excl. VAT</p> <p>Delivery: Ex Works, according to our standard terms of payment and delivery</p> <p>Payment: nett, due 14 days from date of invoice</p> <p style="text-align: right;">All changes reserved</p>	<p>Änderungen vorbehalten. Diese Preisliste ist gültig während des angegebenen Kalenderjahres, wobei immer der aktuellsten Preis, die das Cargo Floor computersystem angibt, gilt.</p> <p>Wir raten deswegen vorab uns zu kontaktieren um zu kontrollieren ob der Preis noch stimmt.</p> <p>Preise: Brutto pro Stück in EURO, excl. Mwst.</p> <p>Lieferung: ab Werk, laut unsere standard Lieferungs- und Zahlungsbedingungen</p> <p>Zahlung: netto, innerhalb 14 Tagen ab Rechnungsdatum</p> <p style="text-align: right;">Änderungen vorbehalten</p>	
www.cargofloor.com - info@cargofloor.com - 0031-524593900			