




**FOR INFORMATION ONLY!**





D	GG-C	02-03-2026	Added missing art.no. 7156001.01 and corrected art.no. 7156002.1 to 7156002.01	
E	GG-C	10-03-2026	Added highspeed option with two filters and non-return valve	
REV.	BY	DATE	DESCRIPTION	
TOLERANCES UNLESS OTHERWISE STATED:			COLOR:	SIZE: STATUS:
				<b>A2 Released</b>
PROJECT:			ART. NO.:	
<b>Exploded views CF600 HD-C</b>			DIMENSIONS: MM [INCH]	
DESCRIPTION:			MATERIAL: -	
<b>Piping &amp; filter</b>			SCALE: 1:6 SHEET: 1/1	
DRAWING NUMBER:			DRAWN: GG-C DR. DATE: 12-10-2012	
<b>EV60000-CF-223</b>			APR. BY: HO APR. DATE: 10-03-2026	
DEBURR SHARP EDGES			TREATMENT: NONE	
WEIGHT: 613.66 KG			CATEGORY:	
PROJECTION:			DRAWING NUMBER:	
			<b>EV60000-CF-223</b>	
Byte 14 NL-7741 MK Coevorden Phone : +31-524-593900 E-mail : info@cargofloor.com				
THIS DRAWING IS THE PROPERTY OF CARGO FLOOR B.V. AND MUST NOT BE COPIED OR REPRODUCED WITHOUT THEIR WRITTEN AUTHORITY (ISO 16016:2016)				


# FOR INFORMATION ONLY!



B	GG-C	23-06-2025	Cosmetic changes	
C	GG-C	26-02-2026	Removed bushing (valve seat) art. 7071010	
REV.	BY	DATE	DESCRIPTION	
TOLERANCES UNLESS OTHERWISE STATED:			COLOR:	
			SIZE:	STATUS:
			<b>A3</b>	<b>Released</b>
PROJECT:				ART. NO.:
<b>Exploded views CF600 HD-C</b>				DIMENSIONS: MM [INCH]
DESCRIPTION:				MATERIAL: -
<b>Cylinder</b>				SCALE: 1:5 SHEET: 1/1
				DRAWN: GG-C DR. DATE: 14-6-2022
				APR. BY: HO APR. DATE: 26-02-2026
				TREATMENT:
				CATEGORY:
				DRAWING NUMBER:
				<b>EV60000-CF-224</b>
			PROJECTION:	DEBURR SHARP EDGES WEIGHT: 59.76 KG



0	GG-C	26-02-2026	-							
REV.	BY	DATE	DESCRIPTION	TOLERANCES UNLESS OTHERWISE STATED:		COLOR:	SIZE:	STATUS:	ART. NO.:	
							<b>A3</b>	<b>Released</b>		
PROJECT:									DIMENSIONS: MM [INCH]	
<b>Exploded views CF600 HD-C</b>									MATERIAL:	
DESCRIPTION:									SCALE: 1:2.5 SHEET: 1/6	
<b>Control valve B-operation</b>									DRAWN: GG-C DR. DATE: 8-11-2010	
									APR. BY: HO APR. DATE: 26-02-2026	
									TREATMENT:	
									CATEGORY:	
									DRAWING NUMBER:	
									<b>0024617</b>	
									DEBURR SHARP EDGES WEIGHT: KG	
				 <b>CARGO FLOOR®</b> <small>HORIZONTAL LOADING / UNLOADING SYSTEM</small>			Byte 14 NL-7741 MK Coevorden Phone : +31-524-593900 E-mail : info@cargofloor.com		PROJECTION: 	
THIS DRAWING IS THE PROPERTY OF CARGO FLOOR B.V. AND MUST NOT BE COPIED OR REPRODUCED WITHOUT THEIR WRITTEN AUTHORITY (ISO 16016:2016)										




A+B+C+D=7376009

0	GG-C	26-02-2026	-						
REV.	BY	DATE	DESCRIPTION						
TOLERANCES UNLESS OTHERWISE STATED:				COLOR:	SIZE:	STATUS:		ART. NO.:	
					<b>A3</b>	<b>Released</b>			
PROJECT:								DIMENSIONS: MM [INCH]	
<b>Exploded views CF600 HD-C</b>								MATERIAL:	
DESCRIPTION:								SCALE:	1:7 SHEET: 2/6
<b>Control valve B-operation</b>								DRAWN:	GG-C DR. DATE: 8-11-2010
								APR. BY:	HO APR. DATE: 26-02-2026
								TREATMENT:	
								CATEGORY:	
								DRAWING NUMBER:	
								<b>0024617</b>	
								DEBURR SHARP EDGES	WEIGHT: KG




Byte 14  
 NL-7741 MK Coevorden  
 Phone : +31-524-593900  
 E-mail : info@cargofloor.com



**FOR INFORMATION ONLY!**

**B-valve: Page 5**



B	GG-C	23-06-2025	Minor, mainly cosmetic changes
C	GG-C	26-02-2026	Changed some article numbers. Changed crossmembers.
REV.	BY	DATE	DESCRIPTION
TOLERANCES UNLESS OTHERWISE STATED:		COLOR:	SIZE: <b>A2</b> STATUS: <b>Released</b>
PROJECT:			ART. NO.:
<b>Exploded views CF600 HD-C</b>			DIMENSIONS: MM [INCH]
DESCRIPTION:			MATERIAL: -
<b>Hydraulic Piston rod guidance; cylinder clamps; common rail; cylinders</b>			SCALE: 1:5 SHEET: 1/1
DRAWN: GG-C DR. DATE: 7-12-2021			APR. BY: HO APR. DATE: 26-02-2026
TREATMENT: NONE			CATEGORY:
DRAWING NUMBER: <b>EV60000-CF-222</b>			DEBURR SHARP EDGES WEIGHT: 603.69 KG
 Byte 14 NL-7741 MK Coevorden Phone : +31-524-593900 E-mail : info@cargo-floor.com			PROJECTION:
THIS DRAWING IS THE PROPERTY OF CARGO FLOOR B.V. AND MUST NOT BE COPIED OR REPRODUCED WITHOUT THEIR WRITTEN AUTHORITY (ISO 16016:2016)			

## CARGO FLOOR - EXPLODED VIEWS CF600 HDC

18-3-2026

ART. NO.	DESCRIPTION	DESCRIPCIÓN
4103054	Lock-pin (plastic) for assembly strip u-profile for moving cross member 12 holes (12xM12)	Pasador de bloqueo (plástico) para el perfil en U de la tira de montaje para el travesaño móvil 12 agujeros (12xM12)
5153018	Clamping plate (triple) CF600 HDC	Placa de sujeción (triple) CF600 HDC
5154010	Clamping plate for cylinder (ø94mm [3.7"])	Placa de sujeción por cilindro (ø94mm [3.7"])
5154011	Clamping plate for cylinder sleeve (ø74mm [2.91"])	Placa de sujeción por cilindro (ø74mm [2.91"])
5159002	Distance ring round 30 mm [1.18"] (switching valve)	Pieza de unión, redondamente 30 mm [1.18"] (válvula rev.)
5160003	Set guide blocks for 3 piston rods CF300/CF500/CF600, solid execution	Juego de guja del pistón para 3 vástagos de pistón CF300/CF500/CF600, sólido
5350011	Assembly strip (12 x M12/240 mm [9.45"])	Pletina de montaje (12 x M12/240 mm [9.45"])
5355003	Threaded rod 1.000 mm. [39.4"]	Barra roscada 1.000 mm [39.4"]
6305009	Cartridge + solenoid 24 V. Cargo Floor (GS02) (incl. red emergency control)	Cartucho + imán 24 V. Cargo Floor (GS02) (incl. control en peligno)
6305014	Solenoid Cargo Floor G(+GS)02 24V	De imán Cargo Floor G(+GS)02 24V
7004125	Straight screw-in coupling 1" x 25 mm [0.98"]	Aclop. roscado dcho 1" x 25 mm [0.98"]
7004130	Straight screw-in coupling 1" x 30 mm [1.18"]	Aclop. roscado dcho 1"x 30 mm [1.18"]
7071004	Poppet valve (sequence cylinder valve)	Válvula para cilindro
7071005	Spring for sequence cylinder valve (standard, L.=45 mm [1.77"])	Resorte para el cilindro de la válvula de retención (estándar, L.=45 mm)
7071006	Socket plug ¾" with O-ring	Liave macho ¾"
7071015	Check valve CF-T25	Válvula de retención CF-T25
7154007	Plastic emergency manual control GS02	Sintético manual control en peligro GS02
7155079	Hydraulic pipe no. 6 ø30 mm [1.18"] (control valve 02 / CF500 SLC HighSpeed /CF600 HDC)	Tubo hidráulico n° 6 ø30 mm [1.18"] (válvula de control 02 / CF500 SLC HighSpeed /CF600 HDC)
7156018	Hydraulic pipe no. 1 (control valve 02/CF600)	Tubo hidráulico n° 1 (válvula de control 02/CF600)
7156019	Hydraulic pipe no. 4 (control valve 02/CF600)	Tubo hidráulico n° 4 (válvula de control 02/CF600)
7156056	Hydraulic pipe no. 5 (control valve 02), for turned filter (CF600 HDC)	Tubo hidráulico n° 5 (válvula de control 02), para filtro girado (CF600 HDC)
7156082	Hydraulic pipe no. 1 ø25x2 [1x0,07"] for HighSpeed filters pointing outward	Tubo hidráulico n.º 1 ø25x2 [1x0,07"] para filtros HighSpeed orientados hacia el exterior
7156086	Hydraulic pipe no. 2 ø25x2 [1x0,07"] for HighSpeed filters pointing outward	Tubo hidráulico n.º 2 ø25x2 [1x0,07"] para filtros HighSpeed orientados hacia el exterior
7170037	Pre-steering switching plunger L.= 306 mm. [12"] / D.= 16 mm. [0.6"]	Varilla de cambio L.= 306 mm [12"] / D.= 16 mm [0.6"]
7170039	Modification kit control valve E->B including detent	Kit para modificar un sistema "E" un sistema "B", incl. fiador
7170040	Head for operation plunger housing control valve 02	Cabeza para alojamiento vástago operacional válvula de control 02
7170041	Modification kit control valve B->E	Kit para modificar un sistema "B" un sistema "E"
7170043	Cover for switching piston control valve 02	Cabeza válvula de cambio válvula de control 02
7170044	Head for operation plunger housing control valve 02 (detent)	Cabeza para alojamiento vástago operacional válvula de control 02 (fiador)
7171103	Bronze bush (B-operation)	Casquillo de bronce para (B-operación)
7177005	Switching plunger L.=146 mm. [5.7"] / D.= 35 mm. [1.4"]	Vástago válvula de cambio L.= 146 mm [5.7"] / D.= 35 mm [1.4"]
7177007	Connection rod B-operation ø16 [0.6"] (M10/M12)	Barilla de cone ión B-operación ø16 [0.6"] (M10/M12)
7317004	Plug G02 for B-control	Cartucho de control G02 para B-control
7354005	Handle (rubber)	Asidero (goma)
7371056	Hydraulic cylinder CF600 HDC-4.7 no. 1 with fasteningmaterials	Cilindro hidráulico CF600 HDC-4.7 n° 1 con material de fijación
7371057	Hydraulic cylinder CF600 HDC-4.7 no. 2 with fasteningmaterials	Cilindro hidráulico CF600 HDC-4.7 n° 2 con material de fijación
7371058	Hydraulic cylinder CF600 HDC-4.7 no. 3 with fasteningmaterials	Cilindro hidráulico CF600 HDC-4.7 n° 3 con material de fijación
7372011	CF Pressure filter element QP (08/2020 - ...)	CF Elemento del filtro QP (08/2020 - ...)
7372012	CF Pressure filterset complete QP (08/2020 - ...)	Set de filtros CF completo QP (08/2020 - ...)
7376009	Seals for control valve 02	Juntas para la válvula de control 02
7376011	Seals for cylinder (CF600)	Válvulas para el cilindro (CF600)
7398007	Control handle eye (control valve 02)	Pestaña de control (válvula de control 02)
7398008	Tube with S-detent (control valve 02)	Tubo de Bloqueo en S (Bloque de Control 02)
7677004	Operation plunger L.= 195 mm [7.68"] / D.= 25 mm [0.98"]	Vástago operacional L.= 195 mm. / D.= 25 mm.
8370042	Control valve 02 B-operation	Válvula de control 02 "B"
7011252525	Adjustable L-coupling 25 x 25 x 25 mm [1x1x1"]	Acoplamiento en L ajustable 25 x 25 x 25 mm [1x1x1"]
6305011.01	Cartridge Cargo Floor (GS02) (incl. red emergency control)	Cartucho Cargo Floor (GS02) (incl. control en peligno)
70171.4	Minimess plug (0-225 Bar) [3263 PSI]	Minimess tapón (0-225 Bar) [3263 PSI]
70173/4.1	Plug 3/4 for valve spring (hollow)	Clavija ¾ para muelle de válvula (cóncavo)
70183/4.1	Bonded seal 3/4 (machined)	Junta de estanqueidad ¾"
7154011.1	Seal cap for pressure safety valve (red)	Tapa de sellado para válvula de seguridad de presión (roja)
7154016.01	Insert cap B-control 70x70mm [2.76"x2.76"] (black)	Inserte la tapa B-control de 70 x 70 mm [2,76« x 2,76»] (negra)

7156001.01	Hydraulic pipe no. 2 (control valve 02)	Tubo hidráulico nº 2 (válvula de control 02)
7156002.01	Hydraulic pipe no. 3 (control valve 02)	Tubo hidráulico nº 3 (válvula de control 02)
7157006.01	Common rail CF600 HDC-4.7	Common rail CF600 HDC-4.7
7370101.01	Pressure cartridge pressure control valve incl. seal cap (yellow)	Cartucho a presión con tapón de cierre (rojo)
7371051.1	Cover for control valve 02	Cubierta protectora válvula de control 02
7456003.01	Plastic lock pin yellow (2x) and plastic bush red (2x) for command lip = 1 system	Pasador de plástico amarillo (2x) y casquillo de plástico rojo (2x) para sistema Command Lip = 1
	<p>All changes reserved. This pricelist is valid during the given calendar year, valid is always the latest price given by the Cargo Floor computer system, so we advice you to contact us beforehand to check the price.</p> <p>Prices: Gross each in EURO, excl. VAT</p> <p>Delivery: Ex Works, according to our standard terms of payment and delivery</p> <p>Payment: nett, due 14 days from date of invoice</p> <p style="text-align: right;">All changes reserved</p>	<p>Reservado el derecho a realizar cambios. Esta lista de precios es válida únicamente para el año en curso según tarifas Cargo Floor B.V. De todas maneras, le aconsejamos contactar previamente a Cargo Floor B.V. para comprobar los precios.</p> <p>Precios: Bruto cada uno en EURO, sin IVA</p> <p>Entrega: De fábrica, de acuerdo con nuestros términos de pago y entrega</p> <p>Pago: neto, 14 días pagaderos desde la fecha de la factura</p> <p style="text-align: right;">Reservado el derecho a realizar cambios</p>
www.cargofloor.com - info@cargofloor.com - 0031-524593900		