


0	GG-C	15-05-2025	-						
A	GG-C	23-06-2025	Added "approx." to date of filter orientation						
REV.	BY	DATE	DESCRIPTION						
TOLERANCES UNLESS OTHERWISE STATED:				COLOR:	SIZE:	STATUS:	ART. NO.:		
					A2	Released	DIMENSIONS: MM [INCH]		
PROJECT:				MATERIAL:			DRAWING NUMBER:		
Exploded views CF500 SLC							EV50000-CF-221		
DESCRIPTION:				SCALE:			SHEET:		
Assembly drawing				1:7			1/1		
				DRAWN:			HO DR. DATE:		
				ES			12-10-2012		
				APR. BY:			ES APR. DATE:		
							23-06-2025		
				TREATMENT:			NONE		
				CATEGORY:			SYSTEM		
PROJECTION:				DRAWING NUMBER:			WEIGHT:		
				Byte 14 NL-7741 MK Coevorden Phone : +31-524-593900 E-mail : info@cargofloor.com					
THIS DRAWING IS THE PROPERTY OF CARGO FLOOR B.V. AND MUST NOT BE COPIED OR REPRODUCED WITHOUT THEIR WRITTEN AUTHORITY (ISO 16016:2016)									

FOR INFORMATION ONLY!




5160003
OPTIONAL

5160002
STANDARD


0	GG-C	15-05-2025	-						
REV.	BY	DATE	DESCRIPTION	SIZE:	STATUS:	ART. NO.:			
TOLERANCES UNLESS OTHERWISE STATED:						A2	Released	DIMENSIONS: MM [INCH]	
PROJECT:							MATERIAL:		
Exploded views CF500 SLC							SCALE: - SHEET: 1/1		
DESCRIPTION:							DRAWN: HO DR. DATE: 7-12-2021		
Pistonrod guidance & cylinder clamps							APR. BY: HO APR. DATE: 15-05-2025		
							TREATMENT: NONE		
							CATEGORY: SYSTEEM		
							DRAWING NUMBER:		
							EV50000-CF-222		
							DEBURR SHARP EDGES WEIGHT: -		
<p>Byte 14 NL-7741 MK Coevorden Phone : +31-524-593900 E-mail : info@cargo-floor.com</p>				<p>PROJECTION:</p>					
THIS DRAWING IS THE PROPERTY OF CARGO FLOOR B.V. AND MUST NOT BE COPIED OR REPRODUCED WITHOUT THEIR WRITTEN AUTHORITY (ISO 16016:2016)									

FOR INFORMATION ONLY!




B	GG-C	11-02-2026	Corrected art.no. 7155097 to 7156010
C	GG-C	23-02-2026	Added ".01" to article numbers 7156009, 7156010, and 7156061
REV.	BY	DATE	DESCRIPTION
TOLERANCES UNLESS OTHERWISE STATED:			
			SIZE: A2 STATUS: Released
PROJECT:			ART. NO.:
Exploded views CF500 SLC			DIMENSIONS: MM [INCH]
DESCRIPTION:			MATERIAL:
Piping & filter			SCALE: - SHEET: 1/1
DRAWN: HO DR. DATE: 7-12-2021			APR. BY: HO APR. DATE: 24-02-2026
TREATMENT: NONE			CATEGORY: SYSTEM
DRAWING NUMBER: EV50000-CF-223			DEBURR SHARP EDGES WEIGHT: -
			PROJECTION:
Byte 14 NL-7741 MK Coevorden Phone : +31-524-593900 E-mail : info@cargo-floor.com			
THIS DRAWING IS THE PROPERTY OF CARGO FLOOR B.V. AND MUST NOT BE COPIED OR REPRODUCED WITHOUT THEIR WRITTEN AUTHORITY (ISO 16016:2016)			


FOR INFORMATION ONLY !




FOR INFORMATION ONLY !




FOR INFORMATION ONLY !





FOR INFORMATION ONLY!




FOR INFORMATION ONLY!



FOR INFORMATION ONLY !



FOR INFORMATION ONLY!



CARGO FLOOR - EXPLODED VIEWS CF500 SLC

24-2-2026

#	DESCRIPTION	BENENNUNG
4103016	Plastic bearing comb kick down 7/112 [4.4"] H.32 [1.26"] (blue)	Kunststoff Gleitkamm "kick down" 7/112 H32 (Blau)
5153004	Clamping plate (triple), complete	Klemmplatte (3-fach), komplett
5154010	Clamping plate for cylinder (ø94mm [3.7"]) complete	Klemmplatte für Zylinder (ø94mm) komplett
5154011	Clamping plate for cylinder sleeve (ø74mm [2.91"]) complete	Klemmplatte für Zylinderbuchse (ø74mm) komplett
5159002	Distance ring round 30 mm [1.18"] (switching valve)	Distanzring rund 30 mm (Umschaltventil)
5160002	Set Guide blocks for 3 piston rods complete (CF300 / CF500)	Satz Führungsblöcke für 3 Zylinderstange komplett (CF300 / CF500)
5160003	Set guide blocks for 3 piston rods CF300/CF500/CF600 complete, solid execution	Satz Führungsblöcke für 3 Zylinderstange CF300/CF500/CF600 komplett, massive Ausführung
5350005	Assembly strip (6x M12/240 mm [9.54"])	Montagestreifen (6x M12/240 mm)
6305009	Cartridge + solenoid 24 V. Cargo Floor (GS02) (incl. red emergency control)	Stift + Spule 24 V. Cargo Floor (GS02) (inkl. Rote Notbetätigung)
6305010	Cartridge + solenoid 24 V. Cargo Floor (G02)	Stift + Spule 24 V. Cargo Floor (G02)
6305011.01	Cartridge Cargo Floor (GS02) (incl. red emergency control)	Stift Cargo Floor (GS02) (inkl. Rote Notbetätigung)
6305012	Cartridge Cargo Floor (G02)	Stift Cargo Floor (G02)
6305014	Solenoid Cargo Floor G(+GS)02 24V	Spule Cargo Floor G(+GS)02 24V
7004120	Straight screw-in coupling 1" x 20 mm [0.79"]	Gerade Einschraubverschraubung 1" x 20 mm
7004125	Straight screw-in coupling 1" x 25 mm [0.98"]	Gerade Einschraubverschraubung 1" x 25 mm
7071004	Poppet valve (sequence cylinder valve)	Reihenfolge Ventil Zylinder
7071005	Spring for sequence cylinder valve (standard, L.=45 mm [1.77"])	Feder für Reihenfolge Ventil Zylinder (Standard, L.=45 mm)
7071006	socket plug ¾" with O-ring	Verschluss Schraube ¾" inkl. Abdichtung
7071010	Order sequence cylinder valve (full thread)	Reihenfolge Ventil Zylinder (Vollgewinde)
7154007	Plastic emergency manual control GS02	Kunststoff Nothandbedienung GS02
7156010.01	Hydraulic pipe no. 6 (control valve 02)	Hydraulische Leitung Nr. 6 (Steuerventil 02)
7156000	Hydraulic pipe no. 1 (control valve 02) complete	Hydraulische Leitung Nr. 1 (Steuerventil 02) komplett
7156001	Hydraulic pipe no. 2 (control valve 02) complete	Hydraulische Leitung Nr. 2 (Steuerventil 02) komplett
7156002	Hydraulic pipe no. 3 (control valve 02) complete	Hydraulische Leitung Nr. 3 (Steuerventil 02) komplett
7156003	Hydraulic pipe no. 4 (control valve 02) complete	Hydraulische Leitung Nr. 4 (Steuerventil 02) komplett
7156009.01	Hydraulic pipe no. 5 (control valve 02)	Hydraulische Leitung Nr. 5 (Steuerventil 02)
7156061.01	Hydraulic pipe no. 1 (control valve 02), rotated filter	Hydraulische Leitung Nr. 2 (Steuerventil 02), gedrehter Filter
7157005	Common rail A complete	Common rail A komplett
7170037	Pre-steering switching plunger L.= 306 mm. [12"] / D.= 16 mm. [0.6"] complete	Vorsteuer Umschaltkolbe L.= 306 mm. / D.= 16 mm komplett
7170039	Modification kit control valve E->B including detent	Modifikationsset Steuerventil E->B inklusive Raste
7170040	Head for operation plunger housing control valve 02 complete	Deckel für Bedienkolbengehäuse Steuerventil 02 komplett
7170041	Modification kit control valve B->E	Modifikationssatz Steuerventil B->E
7170043	Cover for switching piston control valve 02 complete	Deckel für Umschaltkolben Steuerventil 02 komplett
7170044	Head for operation plunger housing control valve 02 (detent) complete	Deckel für Bedienkolbengehäuse Steuerventil 02 (Raste) komplett
7171103	Bronze bush (B-operation)	Bronzebus (B-Bedienung)
7177005	Switching plunger L.=146 mm. [5.7"] / D.= 35 mm. [1.4"] complete	Kolben für Umschaltventil L.= 146 mm. / D.= 35 mm. komplett
7177007	Connection rod B-operation ø16 [0.6"] (M10/M12) complete	Verbindungsstange B-bedienung ø16 (M10/M12) komplett
7317001	Plug A	Schraubverschluss A
7317004	Plug G02 for B-control	Verschluss G02 für B-bedienung
7354005	Handle (rubber)	Hebel (gummi)
7154016.01	Insert cap B-control 70x70mm [2.76"x2.76"] (black)	Einschlagkappe B-Bedienung 70 x 70 mm (schwarz)
7370017	Control valve 02 E-operation (complete)	Steuerventil 02 E-Bedienung (komplett)
7370101.01	Pressure cartridge pressure control valve incl. seal cap (yellow)	Druckstift Druckbegrenzungsventil inkl. Schutzkappe (Gelb)
7370107	Choke ø6.5 mm (control valve 02)	Drossel ø6.5 mm (Steuerventil 02)
7371010	Cylinder head no. 1 / 2 (alu.) incl. seals and valve	Zylinderdeckel Nr. 1 / 2 (alu.), inkl. Dichtungen und Nadelventil
7371021	Cylinder head no. 3 (alu.) incl. seals	Zylinderdeckel Nr. 3 (alu.), inkl. Dichtungen
7371029	Hydraulic cylinder CF500 SL-C no. 1 with fasteningmaterials.	Hydraulik Zylinder CF500 SL-C Nr. 1 mit Befestigungsmaterialien.
7371030	Hydraulic cylinder CF500 SL-C no. 2 with fasteningmaterials.	Hydraulik Zylinder CF500 SL-C Nr. 2 mit Befestigungsmaterialien.
7371031	Hydraulic cylinder CF500 SL-C no. 3 with fasteningmaterials.	Hydraulik Zylinder CF500 SL-C Nr. 3 mit Befestigungsmaterialien.
7371044	Hydraulic cylinder CF500 SLC no. 1 HD with fasteningmaterials.	Hydraulik Zylinder CF500 SL-C Nr. 1 HD mit Befestigungsmaterialien.

7371045	Hydraulic cylinder CF500 SLC no. 2 HD with fasteningmaterials.	Hydraulik Zylinder CF500 SL-C Nr. 2 HD mit Befestigungsmaterialien.	
7371046	Hydraulic cylinder CF500 SLC no. 3 HD with fasteningmaterials	Hydraulik Zylinder CF500 SL-C Nr. 3 HD mit Befestigungsmaterialien.	
7371051	Cover for control valve 02 (complete)	Schutzkappe für Steuerventil 02 (komplett)	
7372005	CF Pressure filter element (04/2005 - 08/2020)	CF Druckfilterelement (04/2005 - 08/2020)	
7372011	CF Pressure filter element QP (08/2020 - ...)	CF Druckfilterelement QP (08/2020 - ...)	
7372012	CF Pressure filterset complete QP (08/2020 - ...)	CF Druckfilterset Komplett QP (08/2020 - ...)	
7376003	Seals for cylinder (CF500)	Abdichtungssatz für Zylinder (CF500)	
7376008	Seal set for 1 cylinder (CF500SL, SL-2 & SLC), this set consist of: 1 x seals for cylinder	Abdichtungssatz für 1 Zylinder (CF500SL - SL-2 & SLC) - dieses Set besteht aus:	
7376009	Seals for control valve 02 complete	Abdichtungssatz für Steuerventil 02 komplett	
7376014	Seal set for 3 cylinders (CF500SL, SL-2 & SLC), this set consist of: 3 x seals for cylinder	Abdichtungssatz für 3 Zylinder (CF500SL - SL-2 & SLC) - dieses Set besteht aus:	
7398007	Control handle eye (control valve 02)	Armaturenhebel Auge (Steuerventil 02)	
7398008	Tube with S-detent (control valve 02)	Rohr mit S-Raste (Steuerventil 02)	
7677004	Operation plunger L.= 195 mm [7.68"] / D.= 25 mm [0.98"] complete	Bedienkolben L.= 195 mm. / D.= 25 mm. komplett	
8370042	Control valve 02 B-operation (complete)	Steuerventil 02 B-Bedienung (komplett)	
8370045	Control valve 02 A-operation (complete)	Steuerventil 02 A-Bedienung (komplett)	
501212.2	Spring washer M12 (8.8)	Federring M12 (8.8)	
503812100.2	Hexagon bolt M12x100	Sechskantschraube M12x100	
70043/420	Straight screw-in coupling 3/4" x 20 mm [0.79"]	Gerade Einschraubverschraubung 3/4" x 20 mm.	
70171.4	Minimess plug (0-225 Bar) [3263 PSI]	Minimess Anschluß (0-225 Bar)	
70173/4.1	Plug 3/4 for valve spring (hollow)	Schraubverschluss 3/4 für Ventil mit Feder (hohl)	
70183/4.1	Bonded seal 3/4 (machined)	Dichtungsring 3/4 (bearbeitet)	
7154011.1	Seal cap for pressure safety valve (red) - spare part	Schutzkappe für DV Ventil (Rot) - Ersatzteil	
	<p>All changes reserved. This pricelist is valid during the given calendar year, valid is always the latest price given by the Cargo Floor computer system, so we advice you to contact us beforehand to check the price.</p> <p>Prices: Gross each in EURO, excl. VAT</p> <p>Delivery: Ex Works, according to our standard terms of payment and delivery</p> <p>Payment: nett, due 14 days from date of invoice</p> <p style="text-align: right;">All changes reserved</p>	<p>Änderungen vorbehalten. Diese Preisliste ist gültig während des angegebenen Kalenderjahres, wobei immer der aktuellsten Preis, die das Cargo Floor computersystem angibt, gilt.</p> <p>Wir raten deswegen vorab uns zu kontaktieren um zu kontrollieren ob der Preis noch stimmt.</p> <p>Preise: Brutto pro Stück in EURO, excl. Mwst.</p> <p>Lieferung: ab Werk, laut unsere standard Lieferungs- und Zahlungsbedingungen</p> <p>Zahlung: netto, innerhalb 14 Tagen ab Rechnungsdatum</p> <p style="text-align: right;">Änderungen vorbehalten</p>	
www.cargofloor.com - info@cargofloor.com - 0031-524593900			