


Filter orientation until approx. 05-2021

- 7371029 : STANDARD Cylinder
- 7371044 : HD (HEAVY DUTY) Cylinder (OPTIONAL)
- 7371030 : STANDARD Cylinder
- 7371045 : HD (HEAVY DUTY) Cylinder (OPTIONAL)
- 7371031 : STANDARD Cylinder
- 7371046 : HD (HEAVY DUTY) Cylinder (OPTIONAL)

0	GG-C	15-05-2025	-						
A	GG-C	23-06-2025	Added "approx." to date of filter orientation						
REV.	BY	DATE	DESCRIPTION						
TOLERANCES UNLESS OTHERWISE STATED:				COLOR:	SIZE:	STATUS:	ART. NO.:		
					A2	Released	DIMENSIONS: MM [INCH]		
PROJECT:				MATERIAL:			DRAWING NUMBER:		
Exploded views CF500 SLC							EV50000-CF-221		
DESCRIPTION:				SCALE:			SHEET:		
				1:7			1/1		
				DRAWN:			HO DR. DATE:		
				ES			12-10-2012		
				APR. BY:			ES APR. DATE:		
							23-06-2025		
				TREATMENT:			NONE		
				CATEGORY:			SYSTEM		
PROJECTION:				DRAWING NUMBER:			WEIGHT:		
				Byte 14 NL-7741 MK Coevorden Phone : +31-524-593900 E-mail : info@cargofloor.com					
THIS DRAWING IS THE PROPERTY OF CARGO FLOOR B.V. AND MUST NOT BE COPIED OR REPRODUCED WITHOUT THEIR WRITTEN AUTHORITY (ISO 16016:2016)									

FOR INFORMATION ONLY!




5160003
OPTIONAL

5160002
STANDARD


0	GG-C	15-05-2025	-						
REV.	BY	DATE	DESCRIPTION	SIZE:	STATUS:	ART. NO.:			
TOLERANCES UNLESS OTHERWISE STATED:						A2	Released	DIMENSIONS: MM [INCH]	
PROJECT:							MATERIAL:		
Exploded views CF500 SLC							SCALE: - SHEET: 1/1		
DESCRIPTION:							DRAWN: HO DR. DATE: 7-12-2021		
Pistonrod guidance & cylinder clamps							APR. BY: HO APR. DATE: 15-05-2025		
							TREATMENT: NONE		
							CATEGORY: SYSTEEM		
							DRAWING NUMBER:		
							EV50000-CF-222		
							DEBURR SHARP EDGES WEIGHT: -		
CARGO FLOOR® <small>HORISONTAAL LADEN EN VERLEGGEN</small>				Byte 14 NL-7741 MK Coevorden Phone : +31-524-593900 E-mail : info@cargo-floor.com		PROJECTION:			
THIS DRAWING IS THE PROPERTY OF CARGO FLOOR B.V. AND MUST NOT BE COPIED OR REPRODUCED WITHOUT THEIR WRITTEN AUTHORITY (ISO 16016:2016)									

FOR INFORMATION ONLY!




B	GG-C	11-02-2026	Corrected art.no. 7155097 to 7156010
C	GG-C	23-02-2026	Added ".01" to article numbers 7156009, 7156010, and 7156061
REV.	BY	DATE	DESCRIPTION
TOLERANCES UNLESS OTHERWISE STATED:			
			SIZE: A2
			STATUS: Released
			ART. NO.:
			DIMENSIONS: MM [INCH]
PROJECT:			
Exploded views CF500 SLC			
			MATERIAL:
			SCALE: - SHEET: 1/1
			DRAWN: HO DR. DATE: 7-12-2021
			APR. BY: HO APR. DATE: 24-02-2026
			TREATMENT: NONE
			CATEGORY: SYSTEM
			DRAWING NUMBER:
			EV50000-CF-223
			DEBURR SHARP EDGES WEIGHT: -
		PROJECTION:	
Byte 14 NL-7741 MK Coevorden Phone : +31-524-593900 E-mail : info@cargo-floor.com		THIS DRAWING IS THE PROPERTY OF CARGO FLOOR B.V. AND MUST NOT BE COPIED OR REPRODUCED WITHOUT THEIR WRITTEN AUTHORITY (ISO 16016:2016)	


FOR INFORMATION ONLY !




FOR INFORMATION ONLY !




FOR INFORMATION ONLY !





FOR INFORMATION ONLY!




FOR INFORMATION ONLY!



FOR INFORMATION ONLY !



FOR INFORMATION ONLY!



CARGO FLOOR - EXPLODED VIEWS CF500 SLC

24-2-2026

#	BENAMING	DESCRIPTION
4103016	Kunststofkam kick down 7/112 H32 (blauw)	Plastic bearing comb kick down 7/112 [4.4"] H.32 [1.26"] (blue)
5153004	Klembeugel (3-voudig) compleet	Clamping plate (triple), complete
5154010	Klembeugel cilinder (ø94mm) compleet	Clamping plate for cylinder (ø94mm [3.7"]) complete
5154011	Klembeugel cilinder (ø74mm) compleet	Clamping plate for cylinder sleeve (ø74mm [2.91"]) complete
5159002	Afstandring rond 30 mm (omschakelventiel)	Distance ring round 30 mm [1.18"] (switching valve)
5160002	Cilinderstanggeleidingsset compleet (CF300 / CF500)	Set Guide blocks for 3 piston rods complete (CF300 / CF500)
5160003	Cilinderstanggeleidingsset CF300/CF500/CF600 compleet, massieve uitvoering	Set guide blocks for 3 piston rods CF300/CF500/CF600 complete, solid execution
5350005	Montagestrip (6x M12/240 mm)	Assembly strip (6x M12/240 mm [9.54"])
6305009	Magneet + stift 24V Cargo Floor (GS02) (incl. rode noodbediening)	Cartridge + solenoid 24 V. Cargo Floor (GS02) (incl. red emergency control)
6305010	Magneet + stift 24V Cargo Floor (G02)	Cartridge + solenoid 24 V. Cargo Floor (G02)
6305011.01	Stift Cargo Floor (GS02) (incl. rode noodbediening)	Cartridge Cargo Floor (GS02) (incl. red emergency control)
6305012	Stift Cargo Floor (G02)	Cartridge Cargo Floor (G02)
6305014	Magneet Cargo Floor G(+GS)02 24V	Solenoid Cargo Floor G(+GS)02 24V
7004120	Rechte inschroefkoppeling 1" x 20 mm	Straight screw-in coupling 1" x 20 mm [0.79"]
7004125	Rechte inschroefkoppeling 1" x 25 mm	Straight screw-in coupling 1" x 25 mm [0.98"]
7071004	Volgorde cilinder klep	Poppet valve (sequence cylinder valve)
7071005	Veer voor volgorde cilinder klep (standaard, L.=45 mm)	Spring for sequence cylinder valve (standard, L.=45 mm [1.77"])
7071006	Inbus kraagplug 3/4 incl. dichting	socket plug 3/4" with O-ring
7071010	Volgorde cilinder klepzetting (voldraad)	Order sequence cylinder valve (full thread)
7154007	Kunststof noodhandbediening GS02	Plastic emergency manual control GS02
7156010.01	Hydraulische leiding nr. 6 (besturingsventiel 02)	Hydraulic pipe no. 6 (control valve 02)
7156000	Hydraulische leiding nr. 1 (besturingsventiel 02) compleet	Hydraulic pipe no. 1 (control valve 02) complete
7156001	Hydraulische leiding nr. 2 (besturingsventiel 02) compleet	Hydraulic pipe no. 2 (control valve 02) complete
7156002	Hydraulische leiding nr. 3 (besturingsventiel 02) compleet	Hydraulic pipe no. 3 (control valve 02) complete
7156003	Hydraulische leiding nr. 4 (besturingsventiel 02) compleet	Hydraulic pipe no. 4 (control valve 02) complete
7156009.01	Hydraulische leiding nr. 5 (besturingsventiel 02)	Hydraulic pipe no. 5 (control valve 02)
7156061.01	Hydraulische leiding 5 (besturingsventiel 02), gedraaid filter	Hydraulic pipe no. 1 (control valve 02), rotated filter
7157005	Common rail A compleet	Common rail A complete
7170037	Voorstuur omschakelplunjer L.= 306 mm. / D.= 16 mm compleet	Pre-steering switching plunger L.= 306 mm. [12"] / D.= 16 mm. [0.6"] complete
7170039	Ombouwset besturingsventiel E->B inclusief arretering	Modification kit control valve E->B including detent
7170040	Deksel Bedienplunjer besturingsventiel 02 compleet	Head for operation plunger housing control valve 02 complete
7170041	Ombouwset besturingsventiel B->E	Modification kit control valve B->E
7170043	Deksel Omschakelplunjer besturingsventiel 02 compleet	Cover for switching piston control valve 02 complete
7170044	Deksel bedienplunjer besturingsventiel 02 (arretering) compleet	Head for operation plunger housing control valve 02 (detent) complete
7171103	Bronzen bus (B-bediening) incl. afstrijker	Bronze bush (B-operation)
7177005	Plunjer omschakel L.= 146 mm / D.= 35 mm compleet	Switching plunger L.=146 mm. [5.7"] / D.= 35 mm. [1.4"] complete
7177007	Koppelstang B-bediening ø16 (M10/M12) compleet	Connection rod B-operation ø16 [0.6"] (M10/M12) complete
7317001	A-plug	Plug A
7317004	Plug G02 t.b.v. B-bediening	Plug G02 for B-control
7354005	Handvat (rubber)	Handle (rubber)
7154016.01	Inslagdop B-bediening 70x70mm (zwart)	Insert cap B-control 70x70mm [2.76"x2.76"] (black)
7370017	Besturingsventiel 02 E-bediend (compleet)	Control valve 02 E-operation (complete)
7370101.01	Drukstift drukkbelegingsventiel incl. zegeldop (geel)	Pressure cartridge pressure control valve incl. seal cap (yellow)
7370107	Drossel ø6.5 mm (besturingsventiel 02)	Choke ø6.5 mm (control valve 02)
7371010	Cilinderdeksel nr.1 / 2 (alu.) incl. afdichtingen en klep	Cylinder head no. 1 / 2 (alu.) incl. seals and valve
7371021	Cilinderdeksel nr. 3 (alu.) incl. afdichtingen	Cylinder head no. 3 (alu.) incl. seals
7371029	Hydraulische cilinder CF500 SL-C nr. 1 inclusief bevestigingsmateriaal.	Hydraulic cylinder CF500 SL-C no. 1 with fasteningmaterials.
7371030	Hydraulische cilinder CF500 SL-C nr. 2 inclusief bevestigingsmateriaal.	Hydraulic cylinder CF500 SL-C no. 2 with fasteningmaterials.
7371031	Hydraulische cilinder CF500 SL-C nr. 3 inclusief bevestigingsmateriaal.	Hydraulic cylinder CF500 SL-C no. 3 with fasteningmaterials.
7371044	Hydraulische cilinder CF500 SL-C nr. 1 HD inclusief bevestigingsmateriaal.	Hydraulic cylinder CF500 SLC no. 1 HD with fasteningmaterials.

7371045	Hydraulische cilinder CF500 SL-C nr. 2 HD inclusief bevestigingsmateriaal.	Hydraulic cylinder CF500 SLC no. 2 HD with fasteningmaterials.	
7371046	Hydraulische cilinder CF500 SL-C nr. 3 HD inclusief bevestigingsmateriaal.	Hydraulic cylinder CF500 SLC no. 3 HD with fasteningmaterials	
7371051	Beschermkap besturingsventiel 02 (compleet)	Cover for control valve 02 (complete)	
7372005	CF persfilterelement (04/2005 - 08/2020)	CF Pressure filter element (04/2005 - 08/2020)	
7372011	CF persfilterelement QP (08/2020 - ...)	CF Pressure filter element QP (08/2020 - ...)	
7372012	CF persfilterset compleet QP (08/2020 - ...)	CF Pressure filterset complete QP (08/2020 - ...)	
7376003	Afdichtingsset cilinder (CF500)	Seals for cylinder (CF500)	
7376008	Afdichtingsset voor 1 cilinder (CF500SL - SL-2 & SLC) - deze set bestaat uit: Afdichtingsset	Seal set for 1 cylinder (CF500SL, SL-2 & SLC), this set consist of: 1 x seals for cylinder	
7376009	Afdichtingsset besturingsventiel 02 compleet	Seals for control valve 02 complete	
7376014	Afdichtingsset voor 3 cilinders (CF500SL - SL-2 & SLC) - deze set bestaat uit: Afdichtingsset	Seal set for 3 cylinders (CF500SL, SL-2 & SLC), this set consist of: 3 x seals for cylinder	
7398007	Hendel oog (besturingsventiel 02)	Control handle eye (control valve 02)	
7398008	Koker met S-arretering (besturingsventiel 02)	Tube with S-detent (control valve 02)	
7677004	Bedienplunjer L.= 195 mm. / D.= 25 mm. compleet	Operation plunger L. = 195 mm [7.68"] / D. = 25 mm [0.98"] complete	
8370042	Besturingsventiel 02 B-bediend (compleet)	Control valve 02 B-operation (complete)	
8370045	Besturingsventiel 02 A-bediend (compleet)	Control valve 02 A-operation (complete)	
501212.2	Veerring M12 - Elvz (8.8)	Spring washer M12 (8.8)	
503812100.2	Zeskantbout M12x100	Hexagon bolt M12x100	
70043/420	Rechte inschroefkoppeling 3/4" x 20 mm.	Straight screw-in coupling 3/4" x 20 mm [0.79"]	
70171.4	Minimess plug (0-225 Bar)	Minimess plug (0-225 Bar) [3263 PSI]	
70173/4.1	Kraagplug 3/4 (hol)	Plug 3/4 for valve spring (hollow)	
70183/4.1	Bonded seal 3/4" (afgedraaid)	Bonded seal 3/4 (machined)	
7154011.1	Zegeldop voor DB ventiel (rood) – spare part	Seal cap for pressure safety valve (red) - spare part	
	<p>Wijzigingen voorbehouden. Geldigheid prijslijst gedurende het aangegeven kalenderjaar, waarbij altijd de actuele prijs in het Cargo Floor B.V. computersysteem geldt, het is raadzaam vooraf de actuele prijs bij Cargo Floor B.V. te checken</p> <p>Prijzen: Bruto per stuk in EURO, excl. B.T.W.</p> <p>Levering: af werk, volgens onze standaard leverings- en betalingsvoorwaarden</p> <p>Betaling: netto, binnen 14 dagen na factuurdatum</p> <p style="text-align: right;">Wijzigingen voorbehouden.</p>	<p>All changes reserved. This pricelist is valid during the given calendar year, valid is always the latest price given by the Cargo Floor computer system, so we advice you to contact us beforehand to check the price.</p> <p>Prices: Gross each in EURO, excl. VAT</p> <p>Delivery: Ex Works, according to our standard terms of payment and delivery</p> <p>Payment: nett, due 14 days from date of invoice</p> <p style="text-align: right;">All changes reserved</p>	
www.cargofloor.com - info@cargofloor.com - 0031-524593900			